LIFT FLAP FOR SPECIAL OPTIONS



PRICELIST 2014

Effective date: June 1, 2014










TABLE OF CONTENTS

Echelon (1915Q, 1925Q)2	Protask (5844, 5845, 5848, 58414, NS584) 4	46
Echelon (1935Q, 1945Q)	Protask (5874, 5875, 5878, 58714, NS587) 4	47
Echelon (1955Q, 1965Q)	Protask (5823-37200, 58233-37200,	
Essentials (160Q, 161Q)5	5843-37200, 58433-37200)	48
Essentials (162Q, 167Q)	Protask (BT51, BT52, BT55, BT56)	49
Fury (9961Q)7	Rainier (R2, R2-8, R2-14, NSR2)	50
Internet (4814Q, 4834Q)8	Rainier (R4, R4-8, R4-14, NSR4)5	51
Link (150Q)9	Rainier (R6, R6-8, R6-14, NSR6)5	52
Rainier (R2Q, R4Q)10	Rainier (R8, R8-8, R8-14, NSR8)5	53
Rainier (R6Q, R8Q)11	Rainier (R1-33-37200, R3-33-37200)	54
Tech (1435Q, 14314Q)12	Ray (4225, 4228, 42214, NS422)5	55
Carmel (8214, 8215, 8218, 82114, NS821) 13	Ray (4235, 4238, 42314, NS423)5	56
Carmel (8234, 8235, 8238, 82314, NS823) 14	Ray (4295, 4298, 42914)5	57
Carmel (8294, 8295, 8298, 82914, NS829) 15	Ray (42233-37200, 42333-37200)	58
Carmel (8213-37200, 82133-37200,	Sidekick (701, 701A, 703, 703A)	59
8233-37200, 82333-37200) 16	Sidekick (702, 702A, 704, 704A)	
Echelon (1915, 1917, 1918, 19114)	Sierra (8526, 85250)	6 1
Echelon (1925, 1927, 1928, 19214)	Sierra (8536, 85350)	52
Echelon (1935, 1937, 1938, 19314)	Stools (5911, 5931, 5951)	53
Echelon (1945, 1947, 1948, 19414)	Tech (1435, 1437, 1438, 14314)	54
Echelon (1955, 1957, 1958, 19514)	Tech (1445, 1447, 14448, 14414)	55
Echelon (1965, 1967, 1968, 19614)	Tech (14333-37200, 14433-37200)	56
Echelon (19133-37200, 19233-37200,	Tuxedo (4515, 4518, 45114, 45115, NS451) 6	57
19333-37200, 19433-37200)	Tuxedo (4535, 4538, 45314, 45315, NS453) 6	58
Essentials (160, 161)	Tuxedo (4585, 4588, 45814)	59
Essentials (162, 167)	Verte (22011, 22111, 22305)	70
Evergreen (603, 603A, 604, 604A)	Wink (380, 390)	71
Fury (9961)27	Wink (3925, 3928, 39214, NS392, 380) 7	72
Internet (4814, 4815, 4818, 48114, NS481) 28	Wink (3935, 3938, 39314, NS393, 390) 7	73
Internet (4834, 4835, 4838, 48314, NS483) 29		
Internet (4894, 4895, 4898, 48914)	GENERAL	
Internet (4813-37200, 48133)31	Flame Retardant Program	74
Internet (4833-37200, 48333-37200)	ESD Discharge Option	
Internet (BT41, BT42)	Product Warranty	
Link (150, 152)	Warranty Request	
Manhattan (6934, 6935, 6938, 69314) 35	C.O.M. Fabric Instructions	
Manhattan (6944, 6945, 6948, 69414) 36	C.O.M. Order Form	
Manhattan (6984, 6985, 6988, 69814) 37	Fabric Options	
Manhattan (6994, 6995, 6998, 69914) 38	Control Options	
Metro (2006, 20050)	Seat Height Chart82-8	
Metro (2086, 20850)	How to Order/Contact Information	
Multi-Shift (9806, 98050)	Specialty Options	
Multi-Shift (9826, 98250)	Standard Options	
Multi-Shift (9896, 98950)		. •
Protask (5804, 5805, 5808, 58014, NS580) 44		


Protask 5824, 5825, 5828, 58214, NS582).... 45

STANDARD FEATURES

QUICKSHIP ECHELON 1900

■ 1900 comfort molded foam tractor seat

- 300 lb. weight limit
- 27" high hub base
- 60mm dual casters
- Defined contoured lumbar area
- Height adjustable, breathable mesh back
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 21 3/4" (with 1101 cylinder)*







Model 1915



1915**Q** Task

MEDIUM BACK Multi-function 05 control, ratchet back, seat slider

AIIII				
Armless	512			
08A	640			
25A	622			
37A	665			

■ 300 lb. weight limit

- 27" high hub base
- 60mm dual casters
- Defined contoured lumbar area
- Height adjustable, breathable mesh back
- Meets CAL 117

FEATURES

STANDARD

Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/4" (with 1101 cylinder)*



seat width 19 1/2"





Model 1925



1925Q Task

MEDIUM BACK Multi-function 05 control, ratchet back, seat slider

A1111				
Armless	512			
08A	640			
25A	622			
37A	665			

DUICKSHIP Fabric

Cross Check

Otter Imperial Vermillion Slate Black Platinum

Foundation

Angora Fossil Coffee Bean Mercury Ebony Navy Goose

Mainframe

Pebble Cordovan Truffle Bay Blue

Moguls

Navy Waterfall Onyx Graphite Verdant Flare Java

One Two Three

Sweet Potato Storm Monaco Taupe Flare

Wiggle

Otter Flare Sweet Potato Thunder Basil Monaco

Casters and arms are the only options available on Quick Ship chairs. See pages 85-86 for details.

QUICKSHIP ECHELON 1900

■ 1900 comfort molded foam tractor seat

- 300 lb. weight limit
- 27" high hub base
- 60mm dual casters
- Defined contoured lumbar area
- Height adjustable, breathable mesh back
- Meets CAL 117

STANDARD FEATURES

 Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 21 3/4" (with 1101 cylinder)*







Model 1935



1935Q Task	Arm	В
MANAGERS HIGH BACK Multi-function 05 control, ratchet back, seat slider	Armless	533
	08A	661
	25A	643
	37A	686

■ 300 lb. weight limit

- 27" high hub base
- 60mm dual casters
- Defined contoured lumbar area
- Height adjustable, breathable mesh back
- Meets CAL 117

FEATURES

STANDARD

 Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/4" (with 1101 cylinder)*



seat width 21 1/2"





Model 1945



1945Q Task	Arm	В
MANAGERS HIGH BACK Multi-function 05 control, ratchet back, seat slider	Armless	533
	08A	661
	25A	643
	37A	686

STANDARD FEATURES

QUICKSHIP ECHELON 1900

■ Breathable mesh seat

- 300 lb. weight limit
- 27" high hub base
- 60mm dual casters
- Defined contoured lumbar area
- Height adjustable, breathable mesh back
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/4" (with 1101 cylinder)*







Model 1955

Casters and arms are the only options available on Quick Ship chairs. See pages 85-86 for details.



1955Q Task	Arm	Standard
MEDIUM BACK Multi-function 05 control, ratchet back, seat slider	Armless	586
	08A	714
	25A	696
	37A	739

■ Breathable mesh seat

- 300 lb. weight limit
- 27" high hub base
- 60mm dual casters
- Defined contoured lumbar area
- Height adjustable, breathable mesh back
- Meets CAL 117

STANDARD FEATURES

■ Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/4" (with 1101 cylinder)*



seat width 20"





Model 1965



1965Q Task	Arm	Standard
MANAGERS HIGH BACK Multi-function 05 control, ratchet back, seat slider	Armless	607
	A80	735
	25A	717
	37A	760

QUICKSHIP ESSENTIALS 160

■ 27" High hub base standard

- Accommodates up to 300 lbs.
- Comfort molded foam tractor seat
- Meets CAL 117

STANDARD FEATURES

■ Standard seat height approx. range (floor to top of seat) for model pictured: 18 3/4" to 23"





Features on the Essentials are standard and additional options are not available.

w/seat slider



160Q Task	Standard black air mesh
BLACK SWIVEL	448
Simple syncro up/down arm rest	

■ 27" base standard STANDARD FEATURES

■ Accommodates up to 300 lbs.

- Adjustable lumbar support has a 4" vertical range to support all back sizes
- High density, highly resilient seat cushion foam
- Meets CAL 117
- Standard seat height approx. range (floor to top of seat) for model pictured: 18 3/4" to 22 3/4"





Features on the Essentials are standard and additional options are not available.

Simple syncro up/down arm rest

Model 161



161Q Task	Standard black air mesh	
RLACK SWIVEL	508	

■#68HR Black leather headrest 95 Model 161 and 162

FEATURES

STANDARD

QUICKSHIP ESSENTIALS 160

■ 27" base standard

- Accommodates up to 300 lbs.
- Adjustable lumbar support has a 4" vertical range to support all back sizes
- High density, highly resilient seat cushion
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 19 1/2" to 22 1/4"





Model 162

Features on the Essentials are standard and additional options are not available.



162Q Task

Standard

BLACK SWIVEL

2:1 knee syncro, multi-function arm rest with four position adjustments, headrest available, chair locks into 5 different positions within the full tilt range

624

■ 27" high hub base standard STANDARD FEATURES ■ Accommodates up to 300 lbs.

- Mesh seat and back
- Adjustable lumbar support provides a 3 1/2" vertical range to support all back sizes
- Padded waterfall front edge
- Meets CAL 117 and CAL 133
- Standard seat height approx. range for model pictured (floor to top of seat): 18 3/4" to 21 1/4"



back height 23 1/2" seat depth 20"

Model 167

Features on the Essentials are standard and additional options are not available.



167Q Task

Standard black mesh

MESH-ON-MESH SWIVEL

Multi-function arm rest with four position adjustments, forward pivot syncro 14 control with seat slider

656

#68HR Black leather headrest Model 161 and 162

95

QUICKSHIP FURY 9900

STANDARD FEATURES

- Accommodates up to 350 lbs.
- Welded steel frame
- Fully upholstered seat and back
- Completely assembled
- Ganging capability; stacks 8 high
- Standard seat height: 17 1/2"







Model 9961



9961AQ GUEST LOBBY

В

Stacking side chair with arms, stick legs

315

QUICKSHIF

Cross Check
Otter
Imperial
Vermillion
Slate Black
Platinum

Foundation
Angora
Fossil
Coffee Bean
Mercury
Ebony
Navy
Goose

Mainframe Pebble Cordovan Truffle Bay Blue Moguls
Navy
Waterfall
Onyx
Graphite
Verdant
Flare
Java


One Two Three Sweet Potato Storm Monaco Taupe Flare Wiggle
Otter
Flare
Sweet Potato
Thunder
Basil
Monaco

STANDARD FEATURES

QUICKSHIP INTERNET 4800

■ 300 lb. weight limit

- 55mm dual hooded black casters
- Meets CAL 117
- 25" nylon base
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/2" (with 100mm cylinder)





Model 4814

Casters and arms are the only options available on Quick Ship chairs. See pages 85-86 for details.



4814Q Task	Arm	В
MEDIUM BACK	Armless	608
Multi-function 04-control with seat slider	08A	736
Siluei	25A	718
	37A	761

STANDARD FEATURES

- 300 lb. weight limit
- 55mm dual hooded black casters
- Meets CAL 117
- 27" nylon base
- Standard seat height approx. range for model pictured (floor to top of seat): 19 1/4" to 22 3/4" (with 100mm cylinder)







Model 4834

Casters and arms are the only options available on Quick Ship chairs. See pages 85-86 for details.



4834Q Task В Arm MANAGERS HIGH BACK Armless 640 Multi-function 04-control with seat 08A 768 slider 25A 750 37A 793

	Cross C
္ပ	Otter
q	Imperial
Щ	Vermillion
≗	Slate Blacl
SH	Platinum
ج	
=	

heck

Foundation
Angora
Fossil
Coffee Bean
Mercury
Ebony
Navy
Goose

Moguls
Navy
Waterfall
Onyx
Graphite
Verdant
Flare
Java

One Two **Three** Sweet Potato Storm Monaco Taupe

Flare

Wiggle Otter Flare Sweet Potato Thunder	
Thunder Basil	
Monaco	

Casters and arms are the only options available on Quick Ship chairs. See pages 85-86 for details.

QUICKSHIP LINK 150


■ 300 lb. weight limit

■ Mesh back

STANDARD FEATURES

- Round heavy gauge 1 1/8" diameter tubular steel frame
- Meets CAL 117
- Comes with non-marring glides and casters
- Standard seat height approx. (floor to top of seat): 18"

Does not stack





OPTIONS No additional options available for this chair



150Q Guest Lobby	В	
Nesting side chair	290	

48 HOURS OR LESS

STANDARD

- 300 lb. weight limit
- Ratchet back
- Thoracic lumbar support
- 55 mm dual hooded black casters
- Multi-function control
- Meets CAL 117
- 25" nylon base
- Standard seat height approx. range for model pictured (floor to top of seat): 19 1/4" to 22 3/4" (with 100mm cylinder)

Other arms and caster options are now available on Rainier series chairs.













See pages 85-86 for details.

R2Q Task	Arm	В
MEDIUM BACK	Standard 25A	606
Multi-function 05 control, ratchet back, seat slider	Armless	523

■ 300 lb. weight limit

■ Ratchet back

FEATURES

STANDARD

- Thoracic lumbar support
- 55 mm dual hooded black casters
- Multi-function control
- Meets CAL 117
- 27" nylon base
- Standard seat height approx. range for model pictured (floor to top of seat): 19 1/2" to 23" (with 100mm cylinder)



seat width 21 1/2"





Model R2

Other arms and caster options are now available on Rainier series chairs. See pages 85-86 for details.

Model R4



R4Q Task	Arm	В
MANAGERS HIGH BACK	Standard 25A	654
Multi-function 05 control, ratchet back, seat slider	Armless	571

ric	
ap	
<u> </u>	
SH	
<u>\$</u>	

Cross Check Otter Imperial

Vermillion Slate Black Platinum

Foundation

Angora Fossil Coffee Bean Mercury Ebony Navy Goose

Mainframe

Pebble Cordovan Truffle Bay Blue

Moguls

Navy Waterfall Onyx Graphite Verdant Flare Java

One Two

Three Sweet Potato Storm Monaco Taupe Flare

Wiggle

Otter Flare **Sweet Potato** Thunder Basil Monaco

QUICKSHIP RAINIER 3600

■ 1900 comfort molded foam tractor seat

- 300 lb. weight limit
- Ratchet back

STANDARD FEATURES

- Thoracic lumbar support
- 55 mm dual hooded black casters
- Multi-function control
- Meets CAL 117
- 25" nylon base
- Standard seat height approx. range for model pictured (floor to top of seat): 18 3/4" to 22 1/4" (with 100mm cylinder)







Other arms and caster options are now available on Rainier series chairs. See pages 85-86 for details.





R6Q Task	Arm	В
MEDIUM BACK	Standard 25A	606
Multi-function 05 control, ratchet back, seat slider	Armless	523

■ 1900 comfort molded foam tractor seat

- 300 lb. weight limit
- Ratchet back

FEATURES

STANDARD

- Thoracic lumbar support
- 55 mm dual hooded black casters
- Multi-function control
- Meets CAL 117
- 27" nylon base
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/2" (with 100mm cylinder)





19"

Other arms and caster options are now available on Rainier series chairs. See pages 85-86 for details.





R8Q Task	Arm	В
MANAGERS HIGH BACK	Standard 25A	654
Multi-function 05 control, ratchet back, seat slider	Armless	571

STANDARD FEATURES

QUICKSHIP TECH 1400

■ 300 lb. weight limit

- 60mm dual casters
- Meets CAL 117
- 27" high hub base
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/4" (with 1101 cylinder)







Casters and arms are the only options available on Quick Ship chairs. See pages 85-86 for details.





1435Q Task	Arm	В
MANAGERS HIGH BACK	Armless	505
Multi-function 05 control, ratchet back, seat slider	08A	633
seat sinder	25A	615
	37A	658

STANDARD FEATURES

- 300 lb. weight limit
- 60mm dual casters
- Meets CAL 117
- 27" high hub base
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/4" to 21 1/2" (with 1101 cylinder)







Casters and arms are the only options available on Quick Ship chairs. See pages 85-86 for details.

Model 14314



14314Q Task	Arm	В
MANAGERS HIGH BACK	Armless	505
Synchro tilt control w/built-in seat slider and ratchet back	08A	633
	25A	615
	37A	658

	Cross Check
္ပ	Otter
ğ	Imperial
ΐ	Vermillion
≗	Slate Black
돐	Platinum
3	
\equiv	

Foundation
Angora
Fossil
Coffee Bean
Mercury
Ebony
Navv

Goose

Mainframe Pebble Cordovan Truffle Bay Blue

Moguls
Navy
Waterfall
Onyx
Graphite
Verdant
Flare
Java


One Two **Three** Sweet Potato Storm Monaco Taupe Flare

M'anda
Wiggle
Otter
Flare
Sweet Potato
Thunder
Basil
Monaco

Casters and arms are the only options available on Quick Ship chairs. See pages 85-86 for details.

STANDARD FEATURES

- Upholstered outback standard with black air knit fabric
- 25" nylon resin base
- 55mm dual hooded black casters
- 300 lb. weight limit
- Meets CAL 117
- Thoracic ridge
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/2" (with 100mm cylinder)





See pages 85-86 for additional options

w/seat slider, knee tilt

and ratchet back

ratchet back





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T" arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

8214 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Multi-function 04-control, w/seat slider	Armless	723	746	779	824	885	982	1172

8215 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK	Armless	803	826	859	904	965	1062	1252
Ratchet back, multi-function 05-control w/seat slider								

8218 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Ratchet back, multi-function 08-control	Armless	899	922	955	1000	1061	1158	1348

82114 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Synchro tilt control w/built-in seat slider	Armless	803	826	859	904	965	1062	1252


NS821 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Swivel tilt 07-control w/ seat slider and	Armless	778	801	834	879	940	1037	1227

S	LIST I	PRICE	LIST I	PRICE
OPTIONS	480 Small		1200 Small Tractor	
PT	18 1/2 w x 17 1/2 d	N/C	22 w x 19 3/4 d	50
	484 Large		1300 Medium Tractor	
SIZE	21 w x 20 d	N/C	22 1/2 w x 20 1/4 d	50
	490 X-Large		1500 Deep Tractor	
SEAT	23 w x 21 d	N/C	24 1/4 w x 19 3/4 d	150
SE	1100 X-Small Tractor		1900 Tractor	
	19 3/4 w x 19 3/4 d	50	21 w x 19 d	N/C

CARMEL POPULAR OPTIONS	 #77P Soft Gel pad #25F R Foam #60L Air lumbar #65HR Articulating headrest 	58 75 125 316
------------------------	--	------------------------

STANDARD FEATURES

- Upholstered outback standard with black air knit fabric
- 27" nylon resin base
- 55mm dual hooded black casters
- 300 lb. weight limit
- Meets CAL 117
- Thoracic ridge
- Standard seat height approx. range for model pictured (floor to top of seat): 19 1/4" to 22 3/4" (with 100mm cylinder)





OPTIONS See pages 85-86 for additional options





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T" arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

8234 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Multi-function 04-control w/seat slider	Armless	764	787	820	865	926	1023	1213

8235 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK	Armless	844	867	900	945	1006	1103	1293
Ratchet back, multi-function 05-control w/seat slider								

8238 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, multi-function 08-control	Armless	940	963	996	1041	1102	1199	1389
w/seat slider, knee tilt								

82314 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Synchro tilt control w/built-in seat slider	Armless	844	867	900	945	1006	1103	1293

NS823 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK	Armless	819	842	875	920	981	1078	1268

S	LIST I	PRICE	LIST PRIC					
OPTIONS	480 Small		1200 Small Tractor					
PT	18 1/2 w x 17 1/2 d	N/C	22 w x 19 3/4 d	50				
0	484 Large		1300 Medium Tractor					
SIZE	21 w x 20 d	N/C	22 1/2 w x 20 1/4 d	50				
	490 X-Large		1500 Deep Tractor					
SEAT	23 w x 21 d	N/C	24 1/4 w x 19 3/4 d	150				
SE	1100 X-Small Tractor		1900 Tractor					
	19 3/4 w x 19 3/4 d	50	21 w x 19 d	N/C				

and ratchet back


ratchet back

Swivel tilt 07-control w/ seat slider and

#77P Soft Gel pad #25F R Foam #60L Air lumbar #65HR Articulating headrest	58 75 125 316
---	------------------------

STANDARD FEATURES

- Upholstered outback standard with black air knit fabric
- 27" nylon resin base
- 55mm dual hooded black casters
- 300 lb. weight limit
- Meets CAL 117
- Thoracic ridge
- Standard seat height approx. range for model pictured (floor to top of seat): 18 3/4" to 22 1/4" (with 100mm cylinder)





OPTIONS See pages 85-86 for additional options

w/seat slider, knee tilt

and ratchet back

ratchet back





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

8294 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK w/pillow, multi-function 04-control w/seat slider	Armless	936	966	1005	1069	1151	1277	1495

8295 Task	Arm	В	(com)	D	(col)	F	G	L
EXECUTIVE HIGH BACK w/pillow, ratchet back, multi-function 05-control w/seat slider	Armless	1016	1046	1085	1149	1231	1357	1575

8298 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK w/pillow, ratchet back, multi-function 08-control	Armless	1112	1142	1181	1245	1327	1453	1671

82914 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK w/pillow,	Armless	1016	1046	1085	1149	1231	1357	1575


NS829 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK w/pillow, swivel tilt 07-control w/ seat slider and	Armless	991	1021	1060	1124	1206	1332	1550

S	LIST I	PRICE	LIST PRICE				
OPTIONS	480 Small		1200 Small Tractor				
PT	18 1/2 w x 17 1/2 d	N/C	22 w x 19 3/4 d	50			
0	482 Medium		1300 Medium Tractor				
SIZE	20 w x 19 d	N/C	22 1/2 w x 20 1/4 d	50			
	490 X-Large		1500 Deep Tractor				
SEAT	23 w x 21 d	N/C	24 1/4 w x 19 3/4 d	150			
SE	1100 X-Small Tractor		1900 Tractor				
	19 3/4 w x 19 3/4 d	50	21 w x 19 d	N/C			

CARMEL OPTIONS	#77P Soft Gel pad #25F R Foam #60L Air lumbar	58 75 125
POPULAR		

STANDARD FEATURES

- Upholstered outback standard with black air knit fabric
- 27" nylon resin base
- 55mm dual hooded black casters
- 300 lb. weight limit
- Meets CAL 117
- Thoracic ridge
- Footring w/heavy duty sleeve
- Standard seat height approx. range for model pictured: 25" to 32"





Model 82133-37200


See pages 85-86 for additional options

NOTE: please specify stool kit 37200 or 37270

8213-37200 Stool	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK STOOL Tri-action 03-control	Armless	818	841	874	919	980	1077	1267
82133-37200 Stool	Arm	В	C	D	E (a.a.l)	F	G	L
			(com)		(col)			

STANDARD FEATURES

- Upholstered outback standard with black air knit fabric
- 27" nylon resin base
- 55mm dual hooded black casters
- 300 lb. weight limit
- Meets CAL 117
- Thoracic ridge
- Footring w/heavy duty sleeve
- Standard seat height approx. range for model pictured: 25" to 32"







OPTIONS See pages 85-86 for additional options

NOTE: please specify stool kit 37200 or 37270

8233-37200 Stool	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK STOOL Tri-action 03-control	Armless	859	882	915	960	1021	1118	1308

82333-37200 Stool	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK STOOL Batchet back, tri-action 33-control	Armless	939	962	995	1040	1101	1198	1388

SEAT SIZE OPTIONS	480 Small	N/C N/C N/C	LIST I 1100 X-Small Tractor 19 3/4 w x 19 3/4 d 1200 Small Tractor 22 w x 19 3/4 d 1300 Medium Tractor 22 1/2 w x 20 1/4 d 1900 Tractor 21 w x 19 d	50 50 50 N/C	STOOLS POPULAR OPTIONS	#33SS #25F R #77P S #60L A #16B F w/60Im Only av in 175m 200mm
						200111111

S Seat slider 50 R Foam 75 Soft Gel pad 58 Air lumbar Foot ring base N/C m no hood caster. vailable nm or cylinder

For 31" - 39" counter heights request 200 mm cylinder

For 34" - 44" counter heights request 270 mm cylinder

STANDARD FEATURES

- 1900 comfort molded foam tractor seat
- 300 lb. weight limit
- 27" high hub base
- 60mm dual casters
- Defined contoured lumbar area
- Height adjustable, breathable mesh back
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 21 3/4" (with 1101 cylinder)*





OPTIONS See pages 85-86 for additional options



No ESD, Multi-shift options or Bariatric models

Model 1915



6	
	01A Fold awa

ay arm with vertical and horizontal adjustment and standard 10 pad 199



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125




25A Vertical and horizontal adjustable "T arm with standard 10 pad 110

and ratchet back



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

1915 Task	Arm	В	(com)	D	(col)	٠.	G	
MEDIUM BACK Multi-function 05 control, ratchet back, seat slider	Armless	512	535	568	613	674	771	961





1918 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Ratchet back, multi-function 08-control w/seat slider, knee tilt	Armless	608	631	664	709	770	867	1057

19114 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Synchro tilt control w/built-in seat slider	Armless	512	535	568	613	674	771	961

NS	LIST P	RICE
<u> </u>	1100 X-Small Tractor	
П	19 3/4 w x 19 3/4 d	50
0	1200 Small Tractor	
ZE	22 w x 19 3/4 d	50
S	1300 Medium Tractor	
AT	22 1/2 w x 20 1/4 d	50
SE	1500 Deep Tractor	
	24 1/4 w x 19 3/4 d	150

^{*}If your customer requires an even lower seat height, order our standard base0012 with a 65mm cylinder for a seat range of 17" to 19.75"; or order our standard base0012 with a 70mm cylinder for a seat range of 18.25" to 20.75".

STANDARD FEATURES

- 300 lb. weight limit
- 27" high hub base
- 60mm dual casters
- Defined contoured lumbar area
- Height adjustable, breathable mesh back
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/4" (with 1101 cylinder)*







See pages 85-86 for additional options



No ESD, Multi-shift options or Bariatric models

w/seat slider, knee tilt

and ratchet back









01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110




SIZE OPTIONS

SEAT

37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

1925 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Multi-function 05 control, ratchet back,	Armless	512	535	568	613	674	771	961
seat slider								





1928 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Ratchet back, multi-function 08-control	Armless	608	631	664	709	770	867	1057

19214 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Synchro tilt control w/built-in seat slider	Armless	512	535	568	613	674	771	961


LIST PRICE

363 Medium 21 1/2 w x 18 d N/C **673** Large 22 w x 20 d N/C

> *If your customer requires an even lower seat height, order our standard base0012 with a 65mm cylinder for a seat range of 17.5" to 20.25"; or order our standard base0012 with a 70mm cylinder for a seat range of 18.75" to 21.25.

STANDARD FEATURES

- 1900 comfort molded foam tractor seat
- 300 lb. weight limit
- 27" high hub base
- 60mm dual casters
- Defined contoured lumbar area
- Height adjustable, breathable mesh back
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 21 3/4" (with 1101 cylinder)*





OPTIONS See pages 85-86 for additional options

and ratchet back



No ESD, Multi-shift options or Bariatric models

Model 1935





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153


1935 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK	Armless	533	556	589	634	695	792	982
Multi-function 05 control, ratchet back, seat slider								

back

height

24"

19"





1938 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, multi-function 08-control w/seat slider, knee tilt	Armless	629	652	685	730	791	888	1078

19314 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Synchro tilt control w/built-in seat slider	Armless	533	556	589	634	695	792	982

NS	LIST P	RICE
	1100 X-Small Tractor	
PT	19 3/4 w x 19 3/4 d	50
0	1200 Small Tractor	
SIZE	22 w x 19 3/4 d	50
S	1300 Medium Tractor	
H	22 1/2 w x 20 1/4 d	50
SEAT	1500 Deep Tractor	
	24 1/4 w x 19 3/4 d	150

^{*}If your customer requires an even lower seat height, order our standard base0013 with a 65mm cylinder for a seat range of 16.625" to 19.375"; or order our standard base0013 with a 70mm cylinder for a seat range of 18.375" to 20.875".

STANDARD FEATURES

- 300 lb. weight limit
- 27" high hub base
- 60mm dual casters
- Defined contoured lumbar area
- Height adjustable, breathable mesh back
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/4" (with 1101 cylinder)*







See pages 85-86 for additional options



No ESD, Multi-shift options or Bariatric models

w/seat slider, knee tilt

and ratchet back







08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110



SIZE OPTIONS

SEAT

37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

1745 lusk			(com)		(col)			
MANAGERS HIGH BACK Multi-function 05 control, ratchet back, seat slider	Armless	533	556	589	634	695	792	982



1947 Conference	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Conference chair, swivel tilt 07 control.	09A	633	656	689	734	795	892	1082
ratchet back w/seat slider and reverse C-arm								

1948 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Batchet back, multi-function 08-control	Armless	629	652	685	730	791	888	1078

19414 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Synchro tilt control w/built-in seat slider	Armless	533	556	589	634	695	792	982

LIST PRICE

362 Small 19 1/2 w x 17 1/2 d **673** Large 22 w x 20 d N/C

^{*}If your customer requires an even lower seat height, order our standard base0013 with a 65mm cylinder for a seat range of 17.125" to 19.875"; or order our standard base0013 with a 70mm cylinder for a seat range of 18.875" to 21.375".

STANDARD FEATURES

- Breathable mesh seat
- 300 lb. weight limit
- 27" high hub base
- 60mm dual casters
- Defined contoured lumbar area
- Height adjustable, breathable mesh back
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/4" (with 1101 cylinder)*





OPTIONS See pages 85-86 for additional options



No ESD, Multi-shift options or Bariatric models

Model 1955





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad 199



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

1955 Task	Arm	Standard black air mesh
MEDIUM HIGH BACK	Armless	586
Multi-function 05 control, ratchet back, seat slider		

1957 Conference	Arm	Standard
MEDIUM HIGH BACK	09A	686
Conference chair, swivel tilt 07 control, ratchet back w/seat slider and reverse C-arm		



1958 Task	Arm	Standard
MEDIUM HIGH BACK	Armless	682
Ratchet back, multi-function 08-control w/seat slider, knee tilt		

19514 Task	Arm	Standard
MEDIUM HIGH BACK	Armless	586
Synchro tilt control w/built-in seat slider and ratchet back		

^{*}If your customer requires an even lower seat height, order our standard base0012 with a 65mm cylinder for a seat range of 17.5" to 20.25"; or order our standard base0012 with a 70mm cylinder for a seat range of 18.75" to 21.25".

STANDARD FEATURES

- Breathable mesh seat
- 300 lb. weight limit
- 27" high hub base
- 60mm dual casters
- Defined contoured lumbar area
- Height adjustable, breathable mesh back
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/4" (with 1101 cylinder)*







Model 1965

OPTIONS See pages 85-86 for additional options





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

No ESD, Multi-shift options or Bariatric models

1965 Task	Arm	Standard black air mesh
MANAGERS HIGH BACK Multi-function 05 control, ratchet back,	Armless	607



1968 Task	Arm B
MANAGERS HIGH BACK	Armless 703
Ratchet back, multi-function 08-control w/seat slider, knee tilt	

19614 Task	Arm	В
MANAGERS HIGH BACK	Armless	607
Synchro tilt control w/built-in seat slider and ratchet back		

^{*}If your customer requires an even lower seat height, order our standard base0013 with a 65mm cylinder for a seat range of 17.125" to 19.875"; or order our standard base0013 with a 70mm cylinder for a seat range of 18.875" to 21.375".

STANDARD FEATURES

- 300 lb. weight limit
- 27" high hub base
- Meets CAL 117
- Defined contoured lumbar area
- Foot ring with heavy-duty sleeve
- Height adjustable, breathable mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 28" to 35" (with 200mm cylinder)



seat width









OPTIONS See pages 85-86 for additional options (including arms)

Note: please specify stool kit 37200 or 37270

No ESD, Multi-shift options or Bariatric models

Model 19133 shown with 16 base-200mm



19133-37200 Stool	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Multi-function 33-control, ratchet back tri-action control, 1900	Armless	607	630	663	708	769	866	1056

MEDIUM BACK Multi-function 33-control, ratchet back tri-action

comfort molded foam tractor seat

19233-37200 Stool


Arm G 607 630 663 708 769 866 1056 Armless

FEATURES

STANDARD

- 300 lb. weight limit
- 27" high hub base
- Meets CAL 117
- Defined contoured lumbar area
- Foot ring with heavy-duty sleeve
- Height adjustable, breathable mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 26 1/4" to 33 1/4" (with 200mm cylinder)











back

seat depth

OPTIONS See pages 85-86 for additional options (including arms)

foam tractor seat

tri-action control, w/flat seat

control, w/flat seat

Note: please specify stool kit 37200 or 37270

No ESD, Multi-shift options or Bariatric models





19333-37200 Stool	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK	Armless	628	651	684	729	790	887	1077
Multi-function 33-control, ratchet back tri-action control, 1900 comfort molded								

Todili tractor scat								
19433-37200 Stool	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Multi-function 33-control, ratchet back	Armless	628	651	684	729	790	887	1077
with runding 33-control, ratchet back								

NS	LIST P	RICE
	1100 X-Small Tractor	
PT	19 3/4 w x 19 3/4 d	50
0	1200 Small Tractor	
ZE	22 w x 19 3/4 d	50
S	1300 Medium Tractor	
AT	22 1/2 w x 20 1/4 d	50
SE	1500 Deep Tractor	
	24 1/4 w x 19 3/4 d	150

SNO	■ #33SS Seat slider	50
STO PTI	#16B Foot ring base w/60mm no hood caster.	N/C
	Only available in 175mm	
POPULA	or 200mm cylinder.	9

For 31" - 39" counter heights - request 200 mm cylinder For 34" - 44" counter heights - request 270 mm cylinder

ESSENTIALS 160

STANDARD FEATURES

- 27" High hub base standard
- Accommodates up to 300 lbs.
- Comfort molded foam tractor seat
- Meets CAL 117
- Standard seat height approx. range (floor to top of seat) for model pictured: 18 3/4" to 23"





Features on the Essentials are standard and additional options are not available.

rest w/seat slider

Mod	lel 1	60



160 Task	Standard black air mesh	В	C (com)	D	E (col)	F	G	L
BLACK SWIVEL Simple syncro up/down arm	448	513	527	546	572	611	669	765

Available in QuickShip. See page 6 for details.

■ 27" base standard STANDARD FEATURES ■ Accommodates up to 300 lbs.

Adjustable lumbar support has a 4" vertical range to support all back sizes

■ High density, highly resilient seat cushion foam

■ Meets CAL 117

■ Standard seat height approx. range (floor to top of seat) for model pictured: 18 3/4" to 22 3/4"





Features on the Essentials are standard and additional options are not available.

Model 161



161 Task	Standard black air mesh	В	C (com)	D	E (col)	F	G	L
BLACK SWIVEL Simple syncro up/down arm rest	508	573	587	606	632	671	729	825

Available in QuickShip. See page 6 for details.

#68HR Black leather headrest Model 161 and 162

95

ESSENTIALS 160

STANDARD FEATURES

- 27" base standard
- Accommodates up to 300 lbs.
- Adjustable lumbar support has a 4" vertical range to support all back sizes
- High density, highly resilient seat cushion foam
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 19 1/2" to 22 1/4"





Model 162

Features on the Essentials are standard and additional options are not available.

arm rest with four position adjustments, headrest available, chair locks into 5 different positions within the full tilt range



162 Task	Standard black leather	В	C (com)	D	E (col)	F	G	L
BLACK SWIVEL 2:1 knee syncro, multi-function	624	689	703	722	748	787	845	941

Available in QuickShip. See page 7 for details.

STANDARD FEATURES

- 27" high hub base standard
- Accommodates up to 300 lbs.
- Mesh seat and back
- Adjustable lumbar support provides a 3 1/2" vertical range to support all back sizes
- Padded waterfall front edge
- Meets CAL 117 and CAL 133
- Standard seat height approx. range for model pictured (floor to top of seat): 18 3/4" to 21 1/4"





Features on the Essentials are standard and additional options are not available.





167 Task

Standard

MESH ON MESH SWIVEL

multi-function arm rest with four position adjustments, forward pivot synchro 14

656

Available in QuickShip. See page 7 for details.

#68HR Black leather headrest Model 161 and 162


95

EVERGREEN 600

STANDARD FEATURES

- 300 lb. weight limit
- High density foam seat and back
- Round heavy gauge 1 1/8" diameter tubular steel frame
- Meets CAL 117
- Comes with non-marring glides
- Standard seat height approx. (floor to top of seat): 19"

Does not stack





No additional options available for this chair

Model 603A

DIMENSIONS

Outside of the arm pads: 23 1/2"

Top of the back to the floor: 34"



603 GUEST LOBBY	Arm	В	C (com)	D	E (col)	F	G	L
Sled base style steel frame guest chair in black powder coat, armless		566	589	622	667	728	825	1015



Sled base style steel frame guest chair in black powder coat, with urethane
padded arms


603 chairs require back assembly

603A GUEST LOBBY	Arm	В	C (com)	D	E (col)	F	G	L
Sled base style steel frame guest chair in black powder coat, with urethane		645	668	701	746	807	904	1094

■ 500 lb. weight limit STANDARD FEATURES

- High density foam seat and back
- Round heavy gauge 1 1/8" diameter tubular steel frame
- Meets CAL 117
- Comes with non-marring glides
- Standard seat height approx. (floor to top of seat): 19"

Does not stack







F

G

929

1119

Ē

D

OPTIONS No additional options available for this chair

DIMENSIONS

Outside of the arm pads: 30 1/2"

Top of the back to the floor: 34"



Bariatric sled base style steel frame
guest chair in black powder coat,
armless

604 GUEST LOBBY

Arm 771 832 670 693 726



urethane padded arms


604 chairs ship fully disassembled

604A GUEST LOBBY	Arm	В	C (com)	D	E (col)	F	G	L
Bariatric sled base style steel frame guest chair in black powder coat, with		749	772	805	850	911	1008	1198

В




Bridge Table 23 w x 15 1/2 d	141
23 W X 15 1/2 U	
Corner Table	363
Ganging Plate	87
Chairs shown with a cont	necting
black laminate corner tab	le.



STANDARD FEATURES

- Accommodates up to 350 lbs.
- Welded steel frame
- Fully upholstered seat and back
- Completely assembled
- Ganging capability; stacks 8 high
- Standard seat height: 17 1/2"





Model 9961



9961A GUEST LOBBY	В	C (com)	D	E (col)	F	G	L
Stacking side chair with arms,	315	329	348	374	413	471	579


9981A GUEST LOBBY	В	C (com)	D	E (col)	F	G	L
Stacking side chair with arms, stick legs	370	423	442	468	507	565	673

9961 Cart	
Cart	303

M9961GB		
Ganging Device	44	

STANDARD FEATURES

- 300 lb. weight limit
- 25" nylon base
- 55 mm dual hooded black casters
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/2" (with 100mm cylinder)







OPTIONS See pages 85-86 for additional options





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T' arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

4814 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Multi-function 04-control w/ seat slider	Armless	608	631	664	709	770	867	1057

4815 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK	Armless	688	711	744	789	850	947	1137
Ratchet back, multi-function 05-control w/seat slider								

4818 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK	Armless	784	807	840	885	946	1043	1233
Ratchet back, multi-function 08-control w/seat slider, knee tilt								

48114 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Synchro tilt control w/built-in seat slider	Armless	688	711	744	789	850	947	1137
and ratchet back								

NS481 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Swivel tilt 07-control and ratchet back	Armless	663	686	719	764	825	922	1112


NS	LIST	PRICE
0	480 Small	
PT	18 1/2 w x 17 1/2 d	N/C
0	484 Large	
3 Z	21 w x 20 d	N/C
ZIS	490 X-Large	
EAT	23 w x 21 d	N/C
SE	1100 X-Small Tractor	
	19 3/4 w x 19 3/4 d	50

LIST P	RICE
1200 Small Tractor	
22 w x 19 3/4 d	50
1300 Medium Tractor	
22 1/2 w x 20 1/4 d	50
1500 Deep Tractor	
24 1/4 w x 19 3/4 d	150
1900 Molded Foam Tra	ctor
21 w x 19 d	N/C

w/seat slider

STANDARD FEATURES

- 300 lb. weight limit
- 27" nylon base
- 55 mm dual hooded black casters
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/2" (with 100mm cylinder)







OPTIONS See pages 85-86 for additional options







01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T" arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

4834 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Multi-function 04-control w/ seat slider	Armless	640	663	696	741	802	899	1089

4835 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, multi-function 05-control	Armless	720	743	776	821	882	979	1169
w/seat slider								

4838 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, multi-function 08-control	Armless	816	839	872	917	978	1075	1265

48314 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Synchro tilt control w/built-in seat slider	Armless	720	743	776	821	882	979	1169

NS483 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Swivel tilt 07-control and ratchet back	Armless	695	718	751	796	857	954	1144

NS	LIST	PRICE
	480 Small	
П	18 1/2 w x 17 1/2 d	N/C
0	484 Large	
3 Z	21 w x 20 d	N/C
ZIS	490 X-Large	
AT	23 w x 21 d	N/C
SE	1100 X-Small Tractor	
	19 3/4 w x 19 3/4 d	50

LIST P	RICE
1200 Small Tractor	
22 w x 19 3/4 d	50
1300 Medium Tractor	
22 1/2 w x 20 1/4 d	50
1500 Deep Tractor	
24 1/4 w x 19 3/4 d	150
1900 Molded Foam Tra	ctor
21 w x 19 d	N/C


w/seat slider, knee tilt

and ratchet back

w/seat slider

STANDARD FEATURES

- 300 lb. weight limit
- 27" nylon base
- 55 mm dual hooded black casters
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/2" (with 100mm cylinder)





OPTIONS See pages 85-86 for additional options





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

4894 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK w/pillow Multi-function 04-control w/ seat slider	Armless	901	931	970	1034	1116	1242	1460

4895 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK w/pillow Ratchet back, multi-function 05-control w/seat slider	Armless	981	1011	1050	1114	1196	1322	1540

4898 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK w/pillow Ratchet back, multi-function 08-control	Armless	1077	1107	1146	1210	1292	1418	1636

48914 Task	Arm	В	(com)	D	col)	•	G	_
EXECUTIVE HIGH BACK w/pillow Synchro tilt control w/built-in seat slider and ratchet back	Armless	981	1011	1050	1114	1196	1322	1540

NS	LIST I	PRICE
	480 Small	
PI	18 1/2 w x 17 1/2 d	N/C
0	482 Medium	
ZE	20 w x 19 d	N/C
S	490 X-Large	
AT	23 w x 21 d	N/C
SE	1100 X-Small Tractor	
	19 3/4 w x 19 3/4 d	50


LIST P	RICE
1200 Small Tractor	
22 w x 19 3/4 d	50
1300 Medium Tractor	
22 1/2 w x 20 1/4 d	50
1500 Deep Tractor	
24 1/4 w x 19 3/4 d	150
1900 Molded Foam Tra	ctor
21 w x 19 d	N/C

w/seat slider, knee tilt

INTERNET ULAR OPTIONS	#25F R Foam#77P Soft Gel pad#60L Air lumbar#64L Thoracic Ridge	75 58 125 75
POPULA		

STANDARD FEATURES

- 300 lb. weight limit
- 27" nylon base
- 55 mm dual hooded black casters
- Meets CAL 117
- Foot ring w/heavy duty sleeve
- Standard seat height approx. range for model pictured (floor to top of seat): 25" to 32" (with 200mm cylinder)



48133-37200 Stool

Ratchet back, tri-action 33-control

MEDIUM BACK STOOL





OPTIONS See pages 85-86 for additional options

Note: please specify stool kit 37200 or 37270



4813-37200 Stool	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK STOOL Tri-action 03-control	Armless	703	726	759	804	865	962	1152

В

783

D

839

806

E

884

945

G

1042

1232

Arm

Armless



01A Fold away arm with vertical and horizontal adjustment and standard 10 pad 199



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad 128



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T" arm with standard 10 pad 110



SIZE OPTIONS

SEAT

480 Small

484 Large

18 1/2 w x

21 w x 20 d

23 w x 21 (

490 X-Large

37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

LIST	PRICE	LIST F	PRICE
		1100 X-Small Tractor	
17 1/2 d	N/C	19 3/4 w x 19 3/4 d	50
		1200 Small Tractor	
d	N/C	22 w x 19 3/4 d	50
		1300 Medium Tractor	
d	N/C	22 1/2 w x 20 1/4 d	50
		1900 Tractor	
		21 w x 19 d	N/C

■ #33SS Seat slider 50 #25F R Foam 75 ■ #77P Soft Gel pad 58 #60L Air lumbar 125 ■ #16B Foot ring base

N/C w/60mm no hood caster. Only available in 175mm or 200mm cylinder

For 31" - 39" counter heights - request 200 mm cylinder

For 34" - 44" counter heights - request 270 mm cylinder

■ 300 lb. weight limit

- 27" nylon base
- 55 mm dual hooded black casters
- Meets CAL 117

STANDARD FEATURES

- Foot ring w/heavy duty sleeve
- Standard seat height approx. range for model pictured (floor to top of seat): 25" to 32" (with 200mm cylinder)





Arm

Armless 735



OPTIONS See pages 85-86 for additional options

Note: please specify stool kit 37200 or 37270

D E G L (col)

897

994

1184





48333-37200 Stool

MANAGERS HIGH BACK STOOL

Ratchet back, tri-action 33-contro

4833-37200 Stool

Arm	В	C (com)	D	E (col)	F	G	L
Armless	815	838	871	916	977	1074	1264

791

836

C

758



01A Fold away arm with vertical and horizontal adjustment and standard 10 pad 199



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad 128



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T" arm with standard 10 pad 110



SIZE OPTIONS

SEAT

37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

LIST I	PRICE	LIST F	PRICE
480 Small		1100 X-Small Tractor	
18 1/2 w x 17 1/2 d	N/C	19 3/4 w x 19 3/4 d	50
484 Large		1200 Small Tractor	
21 w x 20 d	N/C	22 w x 19 3/4 d	50
490 X-Large		1300 Medium Tractor	
23 w x 21 d	N/C	22 1/2 w x 20 1/4 d	50
		1900 Tractor	
		21 w x 19 d	N/C

SNO	#33SS Seat slider	50
STOO	■ #25F R Foam	75
S I	#77P Soft Gel pad	58
AB	#60L Air lumbar	125
PULA	■ #16B Foot ring base w/60mm no hood caster.	N/C
POI	Only available in 175mm or 200mm cylinder	9

INTERNET BT

STANDARD FEATURES

- Accommodates up to 400 lbs.
- 70mm heavy-duty casters
- Extended back bar
- 28" black nylon reinforced base
- Standard seat height approx. range for model pictured (floor to top of seat):
 18 1/2" to 22" (with 100mm cylinder)







OPTIONS See pages 85-86 for additional options

Not available: 04, 08, 09, 18, 23, 24 & 37 Arms; 33 Seat Slider; 481, 489 Backs

BT42 Task

Model BT41

E

1022

1083

G

1180

1370



BT41 Task	Arm	В	C (com)	D	E (col)	F	G	L
Ratchet back swivel tilter 07-control	Armless	896	919	952	997	1058	1155	1345

В

944


977

Arm

Armless 921



O1A Fold away arm with vertical and horizontal adjustment and standard 10 pad 199





03A Loop arm with vertical and horizontal adjustment **199**



12A Vertical and horizontal adjustable "T" arm with knob and standard 10 pad 139



25A Vertical and horizontal adjustable "T" arm with standard 10 pad 110

IZE NS	LIS	ST PRICE
\sim $=$	2002 Small	
AT (24 w x 18 1/2 d	N/C
SE	2004 Large	
	24 w x 22 d	N/C


#77P Soft Gel pad #25F R Foam #60L Air lumbar #64L Thoracic ridge #65HR Articulating headrest	58 75 125 75 316
---	------------------------------

LINK 150

STANDARD FEATURES

- 300 lb. weight limit
- Mesh back
- Round heavy gauge 1 1/8" diameter tubular steel frame
- Meets CAL 117
- Comes with non-marring glides and casters
- Standard seat height approx. (floor to top of seat): 18"

Does not stack





OPTIONS No additional options available for this chair




150 Guest Lobby	В	C (com)	_	E (col)	F	G	L
Nesting side chair	290	304	323	349	388	446	542

STANDARD FEATURES

■ 300 lb. weight limit

- Round heavy gauge 1 1/8" diameter tubular steel frame
- Meets CAL 117
- Comes with non-marring glides and casters
- Standard seat height approx. (floor to top of seat): 18"

Does not stack





OPTIONS No additional options available for this chair



152 Guest Lobby	В	C (com)	D	E (col)	F	G	L
Nesting side chair	315	329	348	374	413	471	567




MANHATTAN 6900

STANDARD FEATURES


- 300 lb. weight limit
- 27" nylon base
- 55mm dual hooded black casters
- Meets CAL 117
- Top stitch sewn fabric on seat and back
- Standard seat height approx. (floor to top of seat): 19 1/2" to 23" (with 100mm

Option 58 required on Teknit fabric





Model 6935







01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110

and ratchet back



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

6934 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Multi-function 04 control w/seat slider	Armless	786	809	842	887	948	1045	1235
6935 Task	Arm	В	C	D	E (a.a.l)	F	G	L

6935 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Multi-function 05-control w/seat slider	Armless	866	889	922	967	1028	1125	1315

6938 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, multi-function 08-control w/seat slider, knee tilt	Armless	962	985	1018	1063	1124	1221	1411

69314 Task	Arm	ь	(com)	U	(col)	ľ	G	. L
MANAGERS HIGH BACK	Armless	866	889	922	967	1028	1125	1315
Synchro tilt control w/built-in seat slider								

2	LIS	T PRICE
ONS	692 Small	
F	18 w x 16 1/2 d	N/C
0	698 Large	
SIZE	22 w x 20 d	N/C
17		

ran SNS	■ #58 Teknit w/beading	33
AT	#77P Soft Gel pad	58
ANH R OP	■ #25F R Foam	75
MA	■#60L Air lumbar	125
POPUL	#65HR Articulating headrest	316


NANHATTAN

STANDARD FEATURES

■ 300 lb. weight limit

- 27" nylon base
- 55mm dual hooded black casters
- Meets CAL 117
- Top stitch sewn fabric on seat and back
- Standard seat height approx. (floor to top of seat): 18 3/4" to 21 1/4" (with 76mm cylinder)

Option 58 required on Teknit fabric





Model 6948

OPTIONS See pages 85-86 for additional options





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

6944 Task	Arm	В	C (com)	D	E (col)	F	G	L
STREAMLINE EXECUTIVE HIGH BACK	Armless	1019	1049	1088	1152	1234	1360	1578

6945 Task	Arm	В	C (com)	D	E (col)	F	G	L
STREAMLINE EXECUTIVE HIGH BACK	Armless	1099	1129	1168	1232	1314	1440	1658
w/pillow, ratchet back, multi-function 05-control w/ seat slider								

6948 Task	Arm	В	C (com)	D	E (col)	F	G	L
STREAMLINE EXECUTIVE HIGH BACK	Armless	1195	1225	1264	1328	1410	1536	1754

STREAMLINE EXECUTIVE HIGH BACK Armless Ratchet back, multi-function 08-control w/seat slider, knee til

69414 Task

Arm В C D E F G

STREAMLINE EXECUTIVE HIGH BACK Armless 1099 1129 1168 1232 1314 1440 1658 Synchro tilt control w/built-in seat slider and ratchet back

SI	LIS	T PRICE
0	692 Small	
0PTI	18 w x 16 1/2 d	N/C
0	698 Large	
1ZE	22 w x 20 d	N/C
~		
A		


ATTAN	■ #58 Teknit w/beading ■ #77P Soft Gel pad	33 58
ANHAT R OPTI	■ #25F R Foam	75
MA	■ #60L Air lumbar	125
P0		

VANHATTAN 6900

STANDARD FEATURES

- 300 lb. weight limit
- 27" nylon base
- 55mm dual hooded black casters
- Meets CAL 117
- Top stitch sewn fabric on seat and back
- Standard seat height approx. (floor to top of seat): 19 1/2" to 23" (with 100mm cylinder)

Option 58 required on Teknit fabric





Model 6985

OPTIONS See pages 85-86 for additional options





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

6984 Task	Arm	В	C (com)	D	E (col)	F	G	L
LARGE MANAGERS HIGH BACK Multi-function 04 control w/seat slider	Armless	820	843	876	921	982	1079	1269

6985 Task	Arm	В	C (com)	D	E (col)	F	G	L
LARGE MANAGERS HIGH BACK Ratchet back, multi-function 05-control w/ seat slider	Armless	900	923	956	1001	1062	1159	1349

6988 Task	Arm	В	C (com)	D	E (col)	F	G	L
LARGE MANAGERS HIGH BACK Ratchet back, multi-function 08-control	Armless	996	1019	1052	1097	1158	1255	1445

69814 Task	Arm	В	C (com)	D	E (col)	F	G	L
I ADOE MANACEDO UICH DACV	A I	000	ດວວ	056	1001	1062	1150	12/0

and ratchet back

w/seat slider, knee tilt

			(COIII)		(COI)			
LARGE MANAGERS HIGH BACK	Armless	900	923	956	1001	1062	1159	1349
Synchro tilt control w/built-in seat slider								

S	LIS	T PRICE
NO.	692 Small	
PT	18 w x 16 1/2 d	N/C
0	695 Medium	
1ZE	19 1/2 w x 19 d	N/C
S		


■ #58 Teknit w/beading	33
#77P Soft Gel pad	58
#25F R Foam	75
#60L Air lumbar	125
■ #65HR Articulating	
headrest	316
	 #77P Soft Gel pad #25F R Foam #60L Air lumbar #65HR Articulating

ANHATTAN 6900

STANDARD FEATURES

- 300 lb. weight limit
- 27" nylon base
- 55mm dual hooded black casters
- Meets CAL 117
- Top stitch sewn fabric on seat and back
- Standard seat height approx. (floor to top of seat): 19 1/2" to 23" (with 100mm cylinder)

Option 58 required on Teknit fabric





Model 6995

OPTIONS See pages 85-86 for additional options





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

6994 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK w/pillow, multi-function 04 control w/ seat slider	Armless	1049	1079	1118	1182	1264	1390	1608
6995 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK w/pillow, ratchet back, multi-function 05-control w/ seat slider	Armless	1129	1159	1198	1262	1344	1470	1688
6998 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK W/PILLOW w/pillow, ratchet back, multi-function 08-control w/seat slider, knee tilt	Armless	1225	1255	1294	1358	1440	1566	1784
69914 Task	Arm	В	C (com)	D	E (col)	F	G	L

Armless 1129

1159

1198

1262

1344 1470

1688

S	LIS	T PRICE
IONS	692 Small	
PT	18 w x 16 1/2 d	N/C
0	695 Medium	
1ZE	19 1/2 w x 19 d	N/C
S		

NHATTAN	#58 Teknit w/beading#77P Soft Gel pad#25F R Foam	33 58 75
MAN POPULAR O	#60L Air lumbar	75 125

EXECUTIVE HIGH BACK

seat slider and ratchet back

w/pillow, synchro tilt control w/built-in

1ETRO 2000

STANDARD FEATURES

- 500 lb. weight limit
- Seat pan structure is 7/8" thick 10 ply hardwood
- 28" black nylon reinforced base
- Extended backbar
- 70 mm heavy duty casters
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 22" (with 100mm cylinder)

Option 58 required on Teknit fabric





Model 2006

OPTIONS See pages 85-86 for additional options

Not available: 04, 08, 09, 18, 23, 24 & 37 Arms, 33 Seat Slider

longer, easy-access cylinder paddle

function infinite tilt lock 50 control;

longer, easy-access cylinder paddle





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad 199



03A Loop arm with vertical and horizontal adjustment 199



12A Vertical and horizontal adjustable "T" arm with knob and standard 10 pad 139



25A Vertical and horizontal adjustable "T" arm with standard 10 pad 110

2006 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Ratchet back, balance syncro 06-control;	Armless	1313	1343	1382	1446	1528	1654	1872

20050 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Ratchet back with heavy duty, multi-	Armless	1298	1328	1367	1431	1513	1639	1857

#25F R Foam 75 #77P Soft Gel pad 58 #60L Air lumbar 125 #58 Teknit w/beading 33 #65HR Articulating headrest 316

\ETRO 2000

STANDARD FEATURES

- 500 lb. weight limit
- Seat pan structure is 7/8" thick 10 ply hardwood
- 28" black nylon reinforced base
- Extended backbar
- 70 mm heavy duty casters
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 22" (with 100mm cylinder)

Option 58 required on Teknit fabric





Model 2086

OPTIONS See pages 85-86 for additional options

Not available: 04, 08, 09, 18, 23, 24 & 37 Arms, 33 Seat Slider

longer, easy-access cylinder paddle

function infinite tilt lock 50-control;

longer, easy-access cylinder paddle





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad 199



03A Loop arm with vertical and horizontal adjustment 199



12A Vertical and horizontal adjustable "T" arm with knob and standard 10 pad 139



25A Vertical and horizontal adjustable "T" arm with standard 10 pad 110

2086 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, balance syncro 06-control;	Armless	1326	1356	1395	1459	1541	1667	1885

20850 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back with heavy duty, multi-	Armless	1311	1341	1380	1444	1526	1652	1870

IZE	L	IST PRICE
	2001 Small	
AT IPT	26 w x 20 d	N/C
SE	2002 BT Small	
	24 w x 18 1/2 d	N/C
	2003 BT Medium	
	24 w x 20 d	N/C
	2004 BT Large	
	24 w x 22	N/C

#60L Air lumbar 125 #58 Teknit w/beading 33 #65HR Articulating headrest 316

MULTI-SHIFT 9800

STANDARD FEATURES

- 350 lb. weight limit
- 70 mm heavy duty casters
- Fully upholstered outback & seat w/edge guard
- Meets CAL 117
- 28" black nylon reinforced base
- Dual density seat foam
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 22" (with 100mm cylinder)





See pages 85-86 for additional options **OPTIONS**





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

9806 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Ratchet back, balance syncro 06-control	Armless	1156	1186	1225	1289	1371	1497	1715

98050 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Ratchet back with heavy duty, multi-	Armless	1141	1171	1210	1274	1356	1482	1700

PLEASE NOTE: The fabric used on Multi-shift chairs is not covered under warranty. To ensure the greatest protection for these chairs, we strongly recommend selecting one of the fabrics with over 250,000 double rubs for this 24/7 application. These fabrics are Cross Check, Tuff Cloth, and Foundation.

SIZE OPTIONS **LIST PRICE** 982 Medium 21 w x 19 d N/C **989** Large 22 w x 19 1/2 d N/C **791** X-Small Tractor 19 3/4 w x 19 3/4 d 50 792 Small Tractor 22 w x 19 3/4 d 50 793 Medium Tractor 22 1/2 w x 20 1/4 d 50

function infinite tilt lock 50 control

MULTI-SHIFT OPTIONS	 #33SS Seat slider #77P Soft Gel pad #25F R Foam #60L Air lumbar #65HR Articulating headrest 	50 58 75 125
---------------------	---	-----------------------

MULTI-SHIFT 9800

STANDARD FEATURES

- 350 lb. weight limit
- 70 mm heavy duty casters
- Fully upholstered outback & seat w/edge guard
- Meets CAL 117
- 28" black nylon reinforced base
- Dual density seat foam
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 22" (with 100mm cylinder)





See pages 85-86 for additional options **OPTIONS**



01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

9826 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, balance syncro 06-control	Armless	1212	1242	1281	1345	1427	1553	1771

98250 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back with heavy duty, multi-	Armless	1197	1227	1266	1330	1412	1538	1756

PLEASE NOTE: The fabric used on Multi-shift chairs is not covered under warranty. To ensure the greatest protection for these chairs, we strongly recommend selecting one of the fabrics with over 250,000 double rubs for this 24/7 application. These fabrics are Cross Check, Tuff Cloth, and Foundation.

SNC		PRICE
PTI	980 Small 20 w x 18 d	N/C
ZE 0	989 Large 22 w x 19 1/2 d	N/C
ZIS 1	791 X-Small Tractor	
SEAT	19 3/4 w x 19 3/4 d 792 Small Tractor	50
	22 w x 19 3/4 d	50
	793 Medium Tractor 22 1/2 w x 20 1/4 d	50

function infinite tilt lock 50 control

#33SS Seat : #77P Soft Ge #25F R Foam #60L Air lum #65HR Artice headres	el pad 58 75 nbar 125 ulating
---	--

MULTI-SHIFT 9800

STANDARD FEATURES

- 350 lb. weight limit
- 70 mm heavy duty casters
- Fully upholstered outback & seat w/edge guard
- Meets CAL 117
- 28" black nylon reinforced base
- Dual density seat foam
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 22" (with 100mm cylinder)







OPTIONS See pages 85-86 for additional options



9896 Task Arm C D E F G L 1610 1756 1882 Armless 1541 1571 1674 2100 EXECUTIVE HIGH BACK w/pillow Ratchet back, balance syncro 06-control



01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

98950 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK w/pillow Ratchet back with heavy duty, multi-	Armless	1526	1556	1595	1659	1741	1867	2085

PLEASE NOTE: The fabric used on Multi-shift chairs is not covered under warranty. To ensure the greatest protection for these chairs, we strongly recommend selecting one of the fabrics with over 250,000 double rubs for this 24/7 application. These fabrics are Cross Check, Tuff Cloth, and Foundation.

22 1/2 w x 20 1/4 d 50	SEAT SIZE OPTIONS	980 Small 20 w x 18 d 982 Medium 21 w x 19 d 791 X-Small Tractor 19 3/4 w x 19 3/4 d 792 Small Tractor 22 w x 19 3/4 d 793 Medium Tractor	N/C N/C 50 50
-------------------------------	-------------------	---	------------------------


function infinite tilt lock 50 control

SHIFT	■ #33SS Seat slider	50
-S=	■ #77P Soft Gel pad	58
ULTI R OF	#25F R Foam	75
MU	■ #60L Air lumbar	125
<u> </u>		
P01		

STANDARD FEATURES

- 300 lb. weight limit
- 25" nylon base
- 55 mm dual hooded black casters
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/2" (with 100mm cylinder)

Option 58 required on vinyl and leather backs







OPTIONS See pages 85-86 for additional options

w/seat slider, knee tilt

w/ seat slider



01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T" arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

5804 Task	Arm	В	C (com)	D	E (col)	F	G	L
SMALL BACK PETITE	Armless	590	613	646	691	752	849	1039

5805 Task	Arm	В	C (com)	D	E (col)	F	G	L
SMALL BACK PETITE Ratchet back, multi-function 05-control w/seat slider	Armless	670	693	726	771	832	929	1119

5808 Task	Arm	В	C (com)	D	E (col)	F	G	L
SMALL BACK PETITE Ratchet back, multi-function 08-control	Armless	766	789	822	867	928	1025	1215

58014 Task	Arm	В	C (com)	D	E (col)	F	G	L
SMALL BACK PETITE Synchro tilt control w/built-in seat slider and ratchet back	Armless	670	693	726	771	832	929	1119

NS580 Task	Arm	В	C (com)	D	E (col)	F	G	L
SMALL BACK PETITE Swivel tilt 07-control and ratchet back	Armless	645	668	701	746	807	904	1094


NS	LIST	T PRICE
0	683 Small Standard	
PT	19 1/2 w x 18 d	N/C
0	671 Medium Standar	ď
SIZE	21 w x 17 1/2 d	N/C
\sim	688 Medium	
AT	19 1/2 w x 19 d	N/C
SE	673 Large	
	22 w x 20 d	N/C
	1900 Tractor	
	21 w x 19 d	N/C

PROTASK POPULAR OPTIONS	 #58 Vinyl w/beading #77P Soft Gel pad #25F R Foam #60L Air lumbar #88F Flat seat foam #64L Thoracic ridge #65HR Articulating headrest 	33 58 75 125 40 75
----------------------------	---	-----------------------------------

STANDARD FEATURES

- 300 lb. weight limit
- 25" nylon base
- 55 mm dual hooded black casters
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/2" (with 100mm cylinder)

Option 58 required on vinyl and leather backs





Model 5824







01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad

w/seat slider, knee tilt

w/ seat slider



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T" arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

5824 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK PETITE Multi-function 04-control w/seat slider	Armless	603	626	659	704	765	862	1052

5825 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK PETITE Ratchet back, multi-function 05-control	Armless	683	706	739	784	845	942	1132
w/seat slider								

5828 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK PETITE Ratchet back, multi-function 08-control	Armless	779	802	835	880	941	1038	1228

58214 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK PETITE Synchro tilt control w/built-in seat slider and ratchet back	Armless	683	706	739	784	845	942	1132

NS582 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK PETITE Swivel tilt 07-control and ratchet back	Armless	658	681	714	759	820	917	1107


SEAT SIZE OPTIONS	685 Small 18 1/2 w x 17 d 671 Medium Standa 21 w x 17 1/2 d 688 Medium 19 1/2 w x 19 d 673 Large	N/C ard N/C N/C
SEA		N/C N/C

PROTASK POPULAR OPTIONS	 #58 Vinyl w/beading #77P Soft Gel pad #25F R Foam #60L Air lumbar #88F Flat seat foam #64L Thoracic ridge #65HR Articulating headrest 	33 58 75 125 40 75
----------------------------	---	-----------------------------------

STANDARD FEATURES

- 300 lb. weight limit
- 25" nylon base
- 55 mm dual hooded black casters
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/2" (with 100mm cylinder)

Option 58 required on vinyl and leather backs





Model 5844

OPTIONS See pages 85-86 for additional options





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T" arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

5844 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Multi-function 04-control w/seat slider	Armless	617	640	673	718	779	876	1066

5845 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Ratchet back, multi-function 05-control	Armless	697	720	753	798	859	956	1146
Hatchet back, multi-function 05-control								

w/seat slider

0848 IGSK	2		(com)		(col)	•		
IEDIUM BACK atchet back, multi-function 08-control //seat slider, knee tilt	Armless	793	816	849	894	955	1052	1242

58414 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Synchro tilt control w/built-in seat slider	Armless	697	720	753	798	859	956	1146

and ratchet back NS584 Task

w/ seat slider

			(com)		(col)			
MEDIUM BACK Swivel tilt 07-control and ratchet back	Armless	672	695	728	773	834	931	1121
Swiver till 07-control and ratchet back								


NS		T PRICE
9	685 Small	
PT	18 1/2 w x 17 d	N/C
0	683 Small Standard	
SIZE	19 1/2 w x 18 d	N/C
S	688 Medium	
EAT	19 1/2 w x 19 d	N/C
SE	673 Large	
	22 w x 20 d	N/C
	1900 Tractor	
	21 w x 19 d	N/C

PROTASK POPULAR OPTIONS	 #58 Vinyl w/beading #77P Soft Gel pad #25F R Foam #60L Air lumbar #88F Flat seat foam #64L Thoracic ridge #65HR Articulating headrest 	33 58 75 125 40 75

STANDARD FEATURES

- 300 lb. weight limit
- 27" nylon base
- 55 mm dual hooded black casters
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 18 3/4" to 22 1/4" (with 100mm cylinder)

Option 58 required on vinyl and leather backs





OPTIONS See pages 85-86 for additional options

w/seat slider, knee tilt

and ratchet back

w/ seat slider



01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T' arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

5874 Task	Arm	B C (com)		D	E F (col)		G	L
MANAGERS HIGH BACK Multi-function 04-control w/ seat slider	Armless	675	698	731	776	837	934	1124

5875 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, multi-function 05-control	Armless	755	778	811	856	917	1014	1204
w/seat slider								

5878 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, multi-function 08-control	Armless	851	874	907	952	1013	1110	1300

58714 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Synchro tilt control w/built-in seat slider	Armless	755	778	811	856	917	1014	1204

NS587 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Swivel tilt 07-control and ratchet back	Armless	730	753	786	831	892	989	1179

NS		PRICE
	685 Small	
PT	18 1/2 w x 17 d	N/C
0	683 Small Standard	
ZE	19 1/2 w x 18 d	N/C
S	688 Medium	
AT	19 1/2 w x 19 d	N/C
SE	673 Large	
	22 w x 20 d	N/C
	1900 Tractor	
	21 w x 19 d	N/C

PROTASK POPULAR OPTIONS	 #58 Vinyl w/beading #77P Soft Gel pad #25F R Foam #60L Air lumbar #88F Flat seat foam #64L Thoracic ridge #65HR Articulating headrest 	33 58 75 125 40 75
----------------------------	---	-----------------------------------

■ 300 lb. weight limit

- 27" nylon base
- 55 mm dual hooded black casters
- Meets CAL 117

STANDARD FEATURES

- Foot ring with heavy-duty sleeve
- Standard seat height approx. range for model pictured (floor to top of seat): 25" to 32" (with 200mm cylinder)

Option 58 required on vinyl and leather

19" seat width 19 1/2"

back width



Model 5823

OPTIONS See pages 85-86 for additional options (including arms)

Note: please specify stool kit 37200 or 37270



5823-37200 Stool	Arm	В	C (com)	D	E (col)	F	G	L.
MEDIUM BACK PETITE STOOL	Armless	698	721	754	799	860	957	1147
m-action 03-control								
58233-37200 Stool	Arm	В	C (com)	D	E (col)	F	G	L

STANDARD FEATURES

- 300 lb. weight limit
- 27" nylon base
- 55 mm dual hooded black casters
- Meets CAL 117
- Foot ring with heavy-duty sleeve
- Standard seat height approx. range for model pictured (floor to top of seat): 25" to 32" (with 200mm cylinder)

Option 58 required on vinyl and leather back







OPTIONS See pages 85-86 for additional options (including arms)

19 1/2 w x 19 d

22 w x 20 d

21 w x 19 d

1900 Tractor

673 Large

N/C

N/C

N/C

Note: please specify stool kit 37200 or 37270

SEAT



5843-37200 Stool	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK STOOL Tri-action 03-control	Armless	712	735	768	813	874	971	1161
58433-37200 Stool	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK STOOL Ratchet back, tri-action 33-control	Armless	792	815	848	893	954	1051	1241
685 Small LIST PRICE 18 1/2 w x 17 d N/C 683 Small Standard 19 1/2 w x 18 d N/C 688 Medium	STOOLS AR OPTIONS	■ #25 ■ #77 ■ #60	SSS Seat FR Foar PSoft G LAir lur Vinyl be	n el pad nbar		1	50 75 58 25 33	

■ #16B Foot ring base

or 200mm cylinder

w/60mm no hood caster.

Only available in 175mm

N/C

PROTASK BT


Accommodates up to 400 lbs.

- 70mm heavy-duty casters
- Extended back bar

STANDARD FEATURES

- ■28" black nylon reinforced base
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 22" (with 100mm cylinder)

Option 58 required on vinyl and leather backs





OPTIONS See pages 85-86 for additional options (including arms)

Not available: 04, 08, 09, 18, 23, 24 & 37 Arms; 33 Seat Slider; 582 Backs





BT51 Task	Arm	В	C (com)	D	E (col)	F	G	L
Ratchet back swivel tilter 07-control	Armless	873	896	929	974	1035	1132	1322

BT52 Task	Arm	В	C (com)	D	E (col)	F	G	L
Ratchet back with heavy duty, multi- function infinite tilt lock 50-control w/ longer, easy-access cylinder paddle	Armless	898	921	954	999	1060	1157	1347

FEATURES

STANDARD

■ Accommodates up to 400 lbs.

- 70mm heavy-duty casters
- Extended back bar
- 28" black nylon reinforced base
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 22" (with 100mm cylinder)

Option 58 required on vinyl and leather backs





OPTIONS See pages 85-86 for additional options

Not available: 04, 08, 09, 18, 23, 24 & 37 Arms; 33 Seat Slider; 582 Backs

Model BT55



BT55 Task	Arm	В	C (com)	D	E (col)	F	G	L
Ratchet back swivel tilter 07-control	Armless	931	954	987	1032	1093	1190	1380

BT56 Task	Arm	В	C (com)	D	E (col)	F	G	L
Ratchet back with heavy duty, multi- function infinite tilt lock 50-control w/ longer, easy-access cylinder paddle	Armless	956	979	1012	1057	1118	1215	1405

IZE NS	LIS	T PRICE
	2002 Small	
A I	24 w x 18 1/2 d	N/C
SE	2004 Large	
	24 w x 22 d	N/C

SS	■ #58 Vinyl w/beading	33
	■ #77P Soft Gel pad	58
ROTA	■ #25F R Foam	75
R (■ #60L Air lumbar	125
_A A	#64L Thoracic ridge	75
PU	#65HR Articulating	
P0	headrest	316

FEATURES

STANDARD

- 300 lb. weight limit
- Ratchet back
- Thoracic lumbar support
- 55 mm dual hooded black casters
- Multi-function control
- Meets CAL 117
- 25" nylon base
- Standard seat height approx. range for model pictured (floor to top of seat): 19 1/4" to 22 3/4" (with 100mm cylinder)



19 1/2"



seat depth

Other arms and caster options are now available on Rainier series chairs. See pages 85-86 for details.



Model R2





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

No ESD, Multi-shift options, no 65 headrest or Bariatric models

R2 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Multi-function 05	Standard	606	661	694	738	794	877	1098
control, ratchet back, seat slider Standard arm is 25A	Armless	523	578	611	655	711	794	1015
R2-8 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Ratchet back, multi-function 08-control w/seat slider, knee tilt Standard arm is 25A	Standard	702	757	790	834	890	973	1194
	Armless	619	674	707	751	807	890	1111
R2-14 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK	Arm Standard			D 694		F 794	G 877	L 1098
		606	(com)		(col)	Ċ		
MEDIUM BACK Synchro tilt control w/built-in seat slider	Standard	606	(com) 661	694	(col) 738	794	877	1098
MEDIUM BACK Synchro tilt control w/built-in seat slider and ratchet back	Standard	606	(com) 661	694	(col) 738	794	877	1098
MEDIUM BACK Synchro tilt control w/built-in seat slider and ratchet back Standard arm is 25A	Standard Armless	606 523 B	(com) 661 578	694 611	(col) 738 655	794 711	877 794	1098

SIZE OPTIONS SEAT

LIST PRICE 363 Medium 21 1/2 w x 18 d N/C 673 Large 22 w x 20 d N/C

Standard arm is 25A

■ 300 lb. weight limit

■ Ratchet back

FEATURES

- Thoracic lumbar support
- 55 mm dual hooded black casters
- Meets CAL 117
- 27" resin base
- Protective durable plastic outback
- Standard seat height approx. range for model pictured (floor to top of seat): 19 1/2" to 23" (with 100mm cylinder)



seat width







Model R4

761

678

717

634

900

817

1121

1038

817

734

20



01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

R4 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK	Standard	654	709	742	786	842	925	1146
Multi-function, ratchet back, seat slider Standard arm is 25A	Armless	571	626	659	703	759	842	1063
R4-8 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK	Standard	750	805	838	882	938	1021	1242
Ratchet back, multi-function 08-control w/seat slider, knee tilt	Armless	667	722	755	799	855	938	1159
Standard arm is 25A								
R4-14 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK	Standard	654	709	742	786	842	925	1146
Synchro tilt control w/built-in seat slider and ratchet back Standard arm is 25A	Armless	571	626	659	703	759	842	1063
NSR4 Task	Arm	В	C (com)	D	E (col)	F	G	L

Standard 629

Armless 546

684

601

OPTIONS SIZE

LIST PRICE **362** Small 19 1/2 w x 17 1/2 d N/C **673** Large 22 w x 20 d N/C

MANAGERS HIGH BACK

Standard arm is 25A

w/seat slider

Swivel tilt 07-control and ratchet back

■ 300 lb. weight limit

- 1900 comfort foam molded tractor seat
- Ratchet back

FEATURES

STANDARD

- Thoracic lumbar support
- 55 mm dual hooded black casters
- Meets CAL 117
- 25" nylon base
- Protective durable plastic outback
- Standard seat height approx. range for model pictured (floor to top of seat): 18 3/4" to 22 1/4" (with 100mm cylinder)





Other arms and caster options are now available on Rainier series chairs. See pages 85-86 for details.





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

No ESD, Multi-shift options, no 65 headrest or Bariatric models

Model R6

R6 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK	Standard	606	661	694	738	794	877	1098
Multi-function, ratchet back, seat slider Standard arm is 25A	Armless	523	578	611	655	711	794	1015
R6-8 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK	Standard	702	757	790	834	890	973	1194
Ratchet back, multi-function 08-control w/seat slider, knee tilt	Armless	619	674	707	751	807	890	1111
Standard arm is 25A								
R6-14 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK	Arm Standard			D 694		F 794	G 877	L 1098
		606	(com)		(col)			
MEDIUM BACK Synchro tilt control w/built-in seat slider	Standard	606	(com) 661	694	(col) 738	794	877	1098
MEDIUM BACK Synchro tilt control w/built-in seat slider and ratchet back	Standard	606	(com) 661	694	(col) 738	794	877	1098
MEDIUM BACK Synchro tilt control w/built-in seat slider and ratchet back Standard arm is 25A NSR6 Task MEDIUM BACK	Standard Armless	606 523 B	(com) 661 578	694 611	(col) 738 655	794 711	877 794	1098 1015
MEDIUM BACK Synchro tilt control w/built-in seat slider and ratchet back Standard arm is 25A NSR6 Task	Standard Armless	606 523 B 581	(com) 661 578 C (com)	694 611	(col) 738 655 E (col)	794 711	877 794	1098 1015

S	LIST F	PRICE
N O	1100 X-Small Tractor	
PI	19 3/4 w x 19 3/4 d	50
<u> </u>	1200 Small Tractor	
SIZE	22 w x 19 3/4 d	50
S	1300 Medium Tractor	
AT	22 1/2 w x 20 1/4 d	50
SE	1500 Deep Tractor	
	24 1/4 w x 19 3/4 d	150


■ 300 lb. weight limit

- 1900 comfort foam molded tractor seat
- Ratchet back

FEATURES

STANDARD

- Thoracic lumbar support
- 55 mm dual hooded black casters
- Meets CAL 117
- 27" nylon base
- Protective durable plastic outback
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 22" (with 100mm cylinder)





Other arms and caster options are now available on Rainier series chairs. See pages 85-86 for details.





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

No ESD, Multi-shift options or Bariatric models

R8 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Multi-function, ratchet back, seat slider, vertical and horizontal "T" arm Standard arm is 25A	Standard	654	709	742	786	842	925	1146
	Armless	571	626	659	703	759	842	1063
R8-8 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK	Standard	750	805	838	882	938	1021	1242
Ratchet back, multi-function 08-control w/seat slider, knee tilt	Armless	667	722	755	799	855	938	1159
Standard arm is 25A								
R8-14 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK	Standard	654	709	742	786	842	925	1146
Synchro tilt control w/built-in seat slider and ratchet back	Armless	571	626	659	703	759	842	1063

Standard arm is 25A								
NSR8 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK	Standard	629	684	717	761	817	900	1121
Swivel tilt 07-control and ratchet back w/seat slider	Armless	546	601	634	678	734	817	1038
Standard arm is 25A								

SI	LIST F	PRICE
\equiv	1100 X-Small Tractor	
PT	19 3/4 w x 19 3/4 d	50
0	1200 Small Tractor	
3 Z	22 w x 19 3/4 d	50
ZIS	1300 Medium Tractor	
AT	22 1/2 w x 20 1/4 d	50
SE	1500 Deep Tractor	
	24 1/4 w x 19 3/4 d	150

Available without seat slider for a -27 list decrease

■ 300 lb. weight limit **FEATURES**

- Ratchet back
- Thoracic lumbar support
- 55 mm dual hooded black casters
- Meets CAL 117
- 27" nylon base

STANDARD

- Foot ring with heavy-duty sleeve
- Protective durable plastic outback
- Standard seat height approx. range for model pictured (floor to top of seat): 25 1/4" to 32 1/4" (with 200mm cylinder)





See pages 85-86 for additional options (including arms)

Note: please specify stool kit 37200 or 37270

No ESD, Multi-shift options, no 65 headrest or Bariatric models



R1-33-37200 Stool	Arm	В	C (com)	D	E (col)	F	G	L
Vertical & horizontal adjustable "T" arm w/	Standard	674	697	730	775	836	933	1123
Standard arm is 25A	Armless	591	614	647	692	753	850	1040

■ 300 lb. weight limit

- Ratchet back
- Thoracic lumbar support
- 55 mm dual hooded black casters
- Meets CAL 117
- 27" nylon base

STANDARD FEATURES

- Foot ring with heavy-duty sleeve
- Protective durable plastic outback
- Standard seat height approx. range for model pictured (floor to top of seat): 25 1/4" to 32 1/4" (with 200mm cylinder)







Model R3-33

See pages 85-86 for additional options (including arms)

Note: please specify stool kit 37200 or 37270

No ESD, Multi-shift options, no 65 headrest or Bariatric models



R3-33-37200 Stool	Arm	В	C (com)	D	E (col)	F	G	L
Vertical & horizontal adjustable "T" arm w/	Standard	722	745	778	823	884	981	1171
Standard arm is 25A	Armless	639	662	695	740	801	898	1088


STOOLS POPULAR OPTIONS ■ #14BB Extended back bar 46 ■ #33SS Seat slider 50 ■ #16B Foot ring base N/C w/60mm no hood caster. Only available in 175mm or 200mm cylinder

LIONS	362 Small	PRICE
E	19 1/2 w x 17 1/2 d	N/C
0	363 Medium	
17	21 1/2 w x 18 d	N/C
\sim	673 Large	
AT	22 w x 20 d	N/C
SE		

AY 4200

STANDARD FEATURES

- 300 lb. weight limit
- 25" nylon base
- 55 mm dual hooded black casters
- Protective durable plastic outback
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/2" (with 100mm
- Not available: 03 & 04 controls





See pages 85-86 for additional options



01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110



SEAT SIZE OPTIONS

37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

No ESD, Multi-shift options, no 65 headrest or Bariatric models

Model 4225

4225 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Ratchet back, multi-function 05-control w/seat slider	Armless	730	750	773	826	880	962	1101

4228 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK	Armless	826	846	869	922	976	1058	1197
Ratchet back, multi-function 08-control w/seat slider, knee tilt								

42214 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Synchro tilt control w/built-in seat slider	Armless	730	750	773	826	880	962	1101

NS422 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Swivel tilt 07-control and ratchet back	Armless	705	725	748	801	855	937	1076

1163	PRICE	LIST	DDICE
420 X-Small	PRICE	1200 Small Tractor	PRICE
18 1/2 w x 17 d	N/C	22 w x 19 3/4 d	50
423 Medium	IV/C	1300 Medium Tractor	50
21 w x 18 1/2 d	N/C	22 1/2 w x 20 1/4 d	50
429 Large	11,0	1500 Deep Tractor	
22 w x 20 d	N/C	24 1/4 w x 19 3/4 d	150
1100 X-Small Tractor		1900 Tractor	
19 3/4 w x 19 3/4 c	50	21 w x 19 d	N/C

and ratchet back


w/seat slider

RAY PULAR OPTIONS	 #77P Soft Gel pad #25F R Foam #60L Air lumbar #64L Thoracic ridge 	58 75 125 75
POPUL		

AY 4200

STANDARD FEATURES

- 300 lb. weight limit
- 27" nylon base
- 55 mm dual hooded black casters
- Protective durable plastic outback
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 19 1/4" to 22 3/4" (with 100mm
- Not available: 03 & 04 controls





See pages 85-86 for additional options

and ratchet back

w/seat slider



01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T' arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

No ESD, Multi-shift options, no 65 headrest or Bariatric models

A A	od	اہ	1	2	2	5
N	lod	ei	4	/	. ქ	л

4235 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, Multi-function 05-control w/seat slider	Armless	766	786	809	862	916	998	1137
4238 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, multi-function 08-control w/seat slider, knee tilt	Armless	862	882	905	958	1012	1094	1233
42314 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Synchro tilt control w/built-in seat slider	Armless	766	786	809	862	916	998	1137

NS423 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Swivel tilt 07-control and ratchet back	Armless	741	761	784	837	891	973	1112

\sim	LIST I	PRICE	LIST I	PRICE
OPTIONS	420 X-Small		1200 Small Tractor	
	18 1/2 w x 17 d	N/C	22 w x 19 3/4 d	50
	422 Small		1300 Medium Tractor	
SIZE	20 1/2 w x 17 1/2 d	N/C	22 1/2 w x 20 1/4 d	50
S	429 Large		1500 Deep Tractor	
ΑT	22 w x 20 d	N/C	24 1/4 w x 19 3/4 d	150
SEAT	1100 X-Small Tractor		1900 Tractor	
	19 3/4 w x 19 3/4 d	50	21 w x 19 d	N/C

RAY POPULAR OPTIONS	 #77P Soft Gel pad #25F R Foam #60L Air lumbar #64L Thoracic ridge 	58 75 125 75

RAY 4200

STANDARD FEATURES

- Articulating headrest
- 300 lb. weight limit
- 27" nylon base
- 55 mm dual hooded black casters
- Durable, protective plastic outback
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 18 3/4" to 22 1/4" (with 100mm cylinder)
- Not available: 03 & 04 controls



No ESD, Multi-shift options or Bariatric models

and ratchet back



Model 42911 w/1500 tractor seat

See pages 85-86 for additional options



01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

4295 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK w/headrest Ratchet back, multi-function 05-control w/seat slider	Armless	1082	1102	1125	1178	1232	1314	14!

4298 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK w/headrest Ratchet back, multi-function 08-control	Armless	1178	1198	1221	1274	1328	1410	1549
w/seat slider, knee tilt								

42914 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK w/headrest Synchro tilt control w/built-in seat slider	Armless	1082	1102	1125	1178	1232	1314	1453

LIST	PRICE	LIST I	PRICE
420 X-Small		1200 Small Tractor	
18 1/2 w x 17 d	N/C	22 w x 19 3/4 d	50
422 Small		1300 Medium Tractor	
20 1/2 w x 17 1/2 d	N/C	22 1/2 w x 20 1/4 d	50
429 Large		1500 Deep Tractor	
22 w x 20 d	N/C	24 1/4 w x 19 3/4 d	150
1100 X-Small Tractor		1900 Tractor	
19 3/4 w x 19 3/4 d	50	21 w x 19 d	N/C
	420 X-Small 18 1/2 w x 17 d 422 Small 20 1/2 w x 17 1/2 d 429 Large 22 w x 20 d 1100 X-Small Tractor	18 1/2 w x 17 d N/C 422 Small 20 1/2 w x 17 1/2 d N/C 429 Large 22 w x 20 d N/C 1100 X-Small Tractor	420 X-Small 1200 Small Tractor 18 1/2 w x 17 d N/C 422 Small 1300 Medium Tractor 20 1/2 w x 17 1/2 d N/C 429 Large 1500 Deep Tractor 22 w x 20 d N/C 1100 X-Small Tractor 1900 Tractor

RAY POPULAR OPTIONS	 #77P Soft Gel pad #25F R Foam #60L Air lumbar #64L Thoracic ridge 	58 75 125 75
------------------------	--	-----------------------

RAY 4200

■ 300 lb. weight limit ■ 27" nylon base

- 55 mm dual hooded black casters
- Protective durable plastic outback
- Meets CAL 117

STANDARD FEATURES

- Foot ring w/heavy duty sleeve
- Standard seat height approx. range for model pictured (floor to top of seat): 25" to 32" (with 200mm cylinder)





See pages 85-86 for additional options (including arms)

Note: please specify stool kit 37200 or 37270

No ESD, Multi-shift options, no 65 headrest or Bariatric models



42233-37200 Stool	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK STOOL Ratchet back, tri-action 33-control	Armless	825	845	868	921	975	1057	1196

■ 300 lb. weight limit

■ 27" nylon base

- 55 mm dual hooded black casters
- Protective durable plastic outback
- Meets CAL 117

STANDARD FEATURES

- Foot ring w/heavy duty sleeve
- Standard seat height approx. range for model pictured (floor to top of seat): 25" to 32" (with 200mm cylinder)







Model 42333

OPTIONS See pages 85-86 for additional options (including arms)

Note: please specify stool kit 37200 or 37270

No ESD, Multi-shift options, no 65 headrest or Bariatric models



42333-37200 Stool	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK STOOL Ratchet back, tri-action 33-control	Armless	861	881	904	957	1011	1093	1232

	LIST	PRICE
NS	420 X-Small	
PTIO	18 1/2 w x 17 d	N/C
П	423 Medium	
0	21 w x 18 1/2 d	N/C
SIZE	429 Large	
S	22 w x 20 d	N/C
A	1100 X-Small Tractor	
SE	19 3/4 w x 19 3/4 d	50


LIST F	RICE
1200 Small Tractor	
22 w x 19 3/4 d	50
1300 Medium Tractor	
22 1/2 w x 20 1/4 d	50
1900 Tractor	
21 w x 19 d	N/C

SNO	■ #33SS Seat slider	50
	■ #25F R Foam	75
S -	#77P Soft Gel pad	58
8	■ #60L Air lumbar	125
11/	■ #16B Foot ring base	N/C
POPULAR	w/60mm no hood caster. Only available in 175mm	
Д.	or 200mm cylinder	

SIDEKICK 700

STANDARD FEATURES

- High density foam on a generous sized seat and back
- 14 gauge round heavy gauge 1 1/8" diameter tubular steel frame
- Meets CAL 117
- Does not stack
- Models 701 and 701A are wall savers
- Standard floor-to-top seat height approx. 19"





See pages 85-86 for additional options







611	634	667	712	773	870	1060	
			-	-	_		





	(/		11				
727	750	783	828	889	986	1176	





upholstered polyurethane padded arms

	(com)		(col)				
641	664	697	742	803	900	1090	


- 300 lb. weight limit
- Non-marring glides

703A Guest Lobby	В	C (com)	D	E (col)	F	G	L
Deluxe sled base style steel frame	757	780	813	858	919	1016	1206

- 300 lb. weight limit
- Non-marring glides

DIMENSIONS

Outside of the arm pads: 24" Top of the back to the floor: 32 1/2"




SIDEKICK POPULAR OPTIONS	Bridge Table 23 w x 15 1/2 d Corner Table Ganging Plate	141 363 87

SIDEKICK 700

STANDARD FEATURES

- High density foam on a generous sized seat and back
- 14 gauge round heavy gauge 1 1/8" diameter tubular steel frame
- Meets CAL 117
- Does not stack
- Models 702 and 702A are wall savers
- Standard floor-to-top seat height approx. 19"





See pages 85-86 for additional options



G









	(com)		(col)				
900	923	956	1001	1062	1159	1349	



5.1	
Deluxe sled base style big and tall steel fra	ıme
guest chair in black powder coat, armless	

with upholstered polyurethane padded

04 Guest Lobby

	(com)		(col)			
819	842	875	920	981	1078	1268

D



• 500 lb. weig	ght limit
 Non-marrin 	a alides

704A Guest Lobby	В	C (com)	D	E (col)	F	G	L
Deluxe sled base style big and tall steel frame guest chair in black powder coat.	935	958	991	1036	1097	1194	1384

• 500 lb. weight limit




DIMENSIONS

Outside of the arm pads: 31"

Top of the back to the floor: 32 1/2"

Chairs ship fully disassembled



Bridge Table 141 23 w x 15 1/2 d Corner Table 363 **Ganging Plate** 87 Chairs shown with a connecting black laminate corner table.

SIERRA 8500

STANDARD FEATURES

- 500 lb. weight limit
- Dual density seat foam
- Seat pan structure is 7/8" thick 10 ply hardwood
- 28" black nylon reinforced base
- 70 mm heavy duty casters
- Fully upholstered outback in black air knit
- Extended back bar
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 18 3/4" to 22 1/4" (with 100mm cylinder)

function infinite tilt lock 50 control; long,

easy-access cylinder paddle





OPTIONS See pages 85-86 for additional options

Not available: 04, 08, 09, 18, 23, 24 & 37A arms, seat slider, foot ring, 25R Foam







01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



03A Loop arm with vertical and horizontal adjustment 199



12A Vertical and horizontal adjustable "T" arm with knob and standard 10 pad 139



25A Vertical and horizontal adjustable "T" arm with standard 10 pad 110

8526 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Ratchet back, balance Syncro 06-control; long, easy-access cylinder paddle	Armless	1408	1431	1464	1509	1570	1667	1857
85250 Task	Arm	В	C (com)	D	E (col)	F	G	L

SIZE OPTIONS **LIST PRICE** 853 Medium 26 w x 20 1/2 d N/C 856 Large 26 w x 22 1/2 d N/C

SIERRA DPULAR OPTIONS	 #77P Soft Gel pad #60L Air lumbar #65HR Articulating headrest 	58 125 316
POF		

SIERRA 8500

STANDARD FEATURES

- 500 lb. weight limit
- Dual density seat foam
- thick 10 ply hardwood
- 28" black nylon reinforced base
- 70 mm heavy duty casters
- Fully upholstered outback in black air knit
- Extended back bar
- Meets CAL 117
- Seat pan structure is 7/8" Standard seat height approx. range for model pictured (floor to top of seat): 18 3/4" to 22 1/4" (with 100mm cylinder)

function infinite tilt lock 50 control; long,

easy-access cylinder paddle





OPTIONS See pages 85-86 for additional options

Not available: 04, 08, 09, 18, 23, 24 & 37A arms, seat slider, foot ring, 25R Foam







01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



03A Loop arm with vertical and horizontal adjustment 199



12A Vertical and horizontal adjustable "T" arm with knob and standard 10 pad 139



25A Vertical and horizontal adjustable "T" arm with standard 10 pad 110

8536 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, balance syncro 06-control; long, easy-access cylinder paddle	Armless	1424	1447	1480	1525	1586	1683	1873
	A	ъ.	6	_	-	-	_	

85350 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back with heavy duty, multi-	Armless	1409	1432	1465	1510	1571	1668	1858


SIZE OPTIONS LIST PRICE **852** Small 26 w x 18 1/2 d N/C 856 Large 26 w x 22 1/2 d N/C SEAT

SIERRA OPTIONS #77P Soft Gel pad 58 ■ #60L Air lumbar 125 ■ #65HR Articulating headrest 316 POPULAR

TOOLS 5900

STANDARD FEATURES

- 250 lb. weight limit
- Standard seat height approx. range (floor to top of seat): 18 1/4" to 23 1/4" (model 5911 with 140mm cylinder); 17" to 22" (model 5931 with 140mm cylinder)



sizes & casters available, specify on order





OPTIONS No additional options available for this chair



5911 Stool	Arm	В	C (com)	D	E (col)	F	G	L
SQUARE FOOT STOOL 140mm cylinder	Armless	299	306	316	329	345	378	435
standard *other cylinder sizes & casters available, specify on order								



5931 Stool	Arm	В	C (com)	D	E (col)	F	G	L
ROUND FOOT STOOL 140mm cylinder standard *other cylinder	Armless	278	285	295	308	324	357	414

STANDARD FEATURES

- 250 lb. weight limit
- 37 foot ring with heavy duty sleeve
- Standard seat height approx. range for model pictured (floor to top of seat): 20 1/4" to 27 1/4" (with 200mm cylinder)







Note: please specify stool kit 37200 or 37270



5951 Stool	Arm

URETHANE STOOL

37200 stool kit* *other cylinder sizes & casters available, specify on order

CAL 133 or arms not available Cannot be upholstered

Armless 460

В

STANDARD FEATURES

- 300 lb. weight limit
- 55mm dual hooded black casters
- Meets CAL 117
- 27" high hub base
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/4" (with 1101 cylinder)



No ESD, Multi-shift options or Bariatric models





Model 14314





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad 199



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad 128



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T' arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed.

1435 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, Multi-function 05-control w/seat slider	Armless	505	528	561	606	667	764	954





1438 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, multi-function 08-control	Armless	601	624	657	702	763	860	1050
w/seat slider, knee tilt								

14314 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Synchro tilt control w/built-in seat slider	Armless	505	528	561	606	667	764	954

S	LIST I	PRICE	LIST I	PRICE
OPTIONS	420 X-Small		1200 Small Tractor	
	18 1/2 w x 17 d	N/C	22 w x 19 3/4 d	50
	422 Small		1300 Medium Tractor	
SIZE	20 1/2 w x 17 1/2 d	N/C	22 1/2 w x 20 1/4 d	50
S	429 Large		1500 Deep Tractor	
AT	22 w x 20 d	N/C	24 1/4 w x 19 3/4 d	150
SEAT	1100 X-Small Tractor		1900 Tractor	
	19 3/4 w x 19 3/4 d	50	21 w x 19 d	N/C

and ratchet back

T S		
	■ #77P Soft Gel pad	58
II OPTIC	#25F R Foam	75
POPULAR		

STANDARD FEATURES

- 300 lb. weight limit
- 55mm dual hooded black casters
- Meets CAL 117
- 27" high hub base
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22 1/4" (with 1101 cylinder)





Arm



C

В

No ESD, Multi-shift options or Bariatric models

1445 Task

and ratchet back

Model 1445

E

(col)

G





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad 199



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad 128



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed.

MANAGERS HIGH BACK Ratchet back, Multi-function 05-control w/seat slider	Armless	625	645	668	721	775	857	996
1447 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, swivel tilt 07-control w/ seat slider and reverse C-arm	09A	725	745	768	821	875	957	1096
	A		_	-	-	-	_	



1448 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, multi-function 08-control w/seat slider, knee tilt	Armless	721	741	764	817	871	953	1092

14414 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Synchro tilt control w/built-in seat slider	Armless	625	645	668	721	775	857	996

2	LIST	LIST PRICE			
OPTIONS	420 X-Small		1200 Small Tractor		
\equiv	18 1/2 w x 17 d	N/C	22 w x 19 3/4 d	50	
	422 Small		1300 Medium Tractor		
SIZE	20 1/2 w x 17 1/2 d	N/C	22 1/2 w x 20 1/4 d	50	
S	429 Large		1500 Deep Tractor		
AT	22 w x 20 d	N/C	24 1/4 w x 19 3/4 d	150	
SEAT	1100 X-Small Tractor		1900 Tractor		
	19 3/4 w x 19 3/4 d	50	21 w x 19 d	N/C	

TECH	■ #77P Soft Gel pad ■ #25F R Foam	58 75
0P1	#231 11 TOUR	73
PULAR		
POF		

TOOLS 1400

STANDARD FEATURES

- 300 lb. weight limit
- 55mm dual hooded black casters
- Meets CAL 117
- 27" high hub base
- Standard seat height approx. range for model pictured (floor to top of seat): 26 1/2" to 33 1/2"







Model 14333

OPTIONS No additional options available for this chair

Note: please specify stool kit 37200 or 37270

14333-37200 Stool MANAGERS HIGH BACK STOOL Multi-function 33-control w/

ratcheting back

Arm	В	C (com)	D	E (col)	F	G	L
Armless	600	623	656	701	762	859	1049

No ESD, Multi-shift options or Bariatric models

STANDARD FEATURES

- 300 lb. weight limit
- 55mm dual hooded black casters
- Meets CAL 117
- 27" high hub base
- Standard seat height approx. range for model pictured (floor to top of seat): 28" to 35 1/4"





Model 14433

Note: please specify stool kit 37200 or 37270

ratcheting back

No ESD, Multi-shift options or Bariatric models

shown with 16 base-200mm

14433-37200 Stool	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK STOOL Multi-function 33-control w/	Armless	720	743	776	821	882	979	1169

S	LIST F	RICE
NO.	420 X-Small	
PT	18 1/2 w x 17 d	N/C
0	422 Small	
ZE	20 1/2 w x 17 1/2 d	N/C
ZIS	429 Large	
AT	22 w x 20 d	N/C
SE	1100 X-Small Tractor	
	19 3/4 w x 19 3/4 d	50

LIST F	PRICE
1200 Small Tractor	
22 w x 19 3/4 d	50
1300 Medium Tractor	
22 1/2 w x 20 1/4 d	50
1500 Deep Tractor	
24 1/4 w x 19 3/4 d	150
1900 Tractor	
21 w x 19 d	N/C



For 31" - 39" counter heights - request 200 mm cylinder For 34" - 44" counter heights - request 270 mm cylinder

- 300 lb. weight limit
- 25" nylon base
- 55 mm dual hooded black casters
- Black air knit fabric outback
- Dual density seat foam
- Two color upholstery available
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 18" to 21 1/2" (with 100mm cylinder)



w/built in seat slider and a ratchet back.

dual action lever and reverse C-arm

and ratchet back

w/seat slider





OPTIONS See pages 85-86 for additional options





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad 199



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T" arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

4515 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK	Armless	883	906	939	984	1045	1142	1332
Ratchet back, multi-function 05-control w/seat slider								

4518 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Ratchet back, multi-function 08-control	Armless	979	1002	1035	1080	1141	1238	1428
w/seat slider, knee tilt								

45111 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Deluxe forward pivot synchro 11-control	Armless	955	978	1011	1056	1117	1214	1404

45114 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Synchro tilt control w/built-in seat slider	Armless	883	906	939	984	1045	1142	1332

45115 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Mid pivot swivel tilt 15 central w/tilt lock	09A	943	966	999	1044	1105	1202	1392



NS451 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Swivel tilt 07-control and ratchet back	Armless	858	881	914	959	1020	1117	1307

DO AR	■ #77P Soft Gel pad	58
NA DIT	■ #25F R Foam	75
100 100 100 100 100 100 100 100 100 100	■ #60L Air lumbar	125

\sim	LIST	PRICE	LIST I	PRICE
OPTIONS	453 21 w x 20 d	N/C	1300 Medium Tractor	
П	459 22w x 21 1/2d	N/C	22 1/2 w x 20 1/4 d	50
	1100 X-Small Tractor		1500 Deep Tractor	
SIZE	19 3/4 w x 19 3/4 d	50	24 1/2 w x 19 3/4 d	150
S	1200 Small Tractor		1900 Tractor	
SEAT	22 w x 19 3/4 d	50	21 w x 19 d	N/C
S				

Customize this chair with your logo (option #63). Call Customer Service at (800) 447-5542 for information. See page 85 for photo.

TUXEDO 4500

STANDARD FEATURES

- 300 lb. weight limit
- 27" nylon base
- 55 mm dual hooded black casters
- Black air knit fabric outback
- Dual density seat foam
- Two color upholstery available
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 19 1/2" to 23" (with 100mm cylinder)







OPTIONS See pages 85-86 for additional options

w/seat slider

w/built in seat slider and a ratchet back.

dual action lever and reverse C-arm

w/seat slider







01A Fold away arm with vertical and horizontal adjustment and standard 10 pad 199



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad 128



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T" arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

4535 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, multi-function 05-control	Armless	914	937	970	1015	1076	1173	1363

4538 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK	Armless	1010	1033	1066	1111	1172	1269	1459
Ratchet back, multi-function 08-control w/seat slider, knee tilt								

45311 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Deluxe forward pivot synchro 11-control	Armless	986	1009	1042	1087	1148	1245	1435

45314 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Synchro tilt control w/built-in seat slider	Armless	914	937	970	1015	1076	1173	1363
and ratchet back								

45315 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Mid-pivot swivel tilt 15-control w/tilt lock	09A	974	997	1030	1075	1136	1233	1423



NS453 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Swivel tilt 07-control and ratchet back	Armless	889	912	945	990	1051	1148	1338


DO AR	■ #77P Soft Gel pad	58
UXE DIT	■ #25F R Foam	75
100 100 100	■ #60L Air lumbar	125

S	LIST PRICE	LIST F	PRICE
IONS	451 19 1/2 w x 18 1/2 d N/C	1300 Medium Tractor	
0PTI	459 22w x 21 1/2d N/C	22 1/2 w x 20 1/4 d	50
	1100 X-Small Tractor	1500 Deep Tractor	
SIZE	19 3/4 w x 19 3/4 d 50	24 1/2 w x 19 3/4 d	150
	1200 Small Tractor	1900 Tractor	
SEAT	22 w x 19 3/4 d 50	21 w x 19 d	N/C
S			

Customize this chair with your logo (option #63). Call Customer Service at (800) 447-5542 for information. See page 85 for photo.

STANDARD FEATURES

- 300 lb. weight limit
- 27" nylon base
- 55 mm dual hooded black casters
- Meets CAL 117
- Dual density seat foam
- Two color upholstery available
- Black air knit fabric on outback
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 22" (with 100mm cylinder)





OPTIONS See pages 85-86 for additional options





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

No 65 headrest option

and ratchet back

Deluxe forward pivot synchro 11-control

Model 45811

4585 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK Ratchet back, multi-function 05-control w/seat slider	Armless	1047	1077	1116	1180	1262	1388	1606
4588 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK Ratchet back, multi-function 08-control w/seat slider, knee tilt	Armless	1143	1173	1212	1276	1358	1484	1702
45811 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK	Armless	1119	1149	1188	1252	1334	1460	1678

w/built in seat slider and a ratchet back.								
45814 Task	Arm	В	C (com)	D	E (col)	F	G	L
EXECUTIVE HIGH BACK Synchro tilt control w/built-in seat slider	Armless	1047	1077	1116	1180	1262	1388	1606

EDO AR	#77P Soft Gel pad	58
X E	■ #25F R Foam	75
POF	■#60L Air lumbar	125

ICE
50
150
I/C
1

VERTE 2200

STANDARD FEATURES

- Dual density seat foam
- 300 lb. weight limit
- 11 torsion spring loaded joints take an exact spine impression which can be locked in place
- Upholstered outback with black air knit fabric
- Meets CAL 117
- Black leather standard
- Not available in CAL 133 or ESD
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/4" to 21 3/4" (with 100mm cylinder)





OPTIONS No additional options available for this chair



No multi-shift option or Bariatric models

11-control, black ribs, seat slider

Model 22111

22011 Task	Arm	В	C (com)	D	E (col)	F	G
EXECUTIVE BACK W/ADJUSTABLE HEADREST Deluxe forward pivot syncro 11-control, aluminum ribs, seat slider	24A	2450	2470	2491	2546	2614	2716
22111 Task	Arm	В	C (com)	D	E (col)	F	G
EXECUTIVE BACK W/ADJUSTABLE			2324	2345	2400	2468	2570

STANDARD FEATURES

- Dual density seat foam
- 300 lb. weight limit
- 11 torsion spring loaded joints take an exact spine impression which can be locked in place
- Upholstered outback with black air knit fabric
- Meets CAL 117
- Black leather standard
- Not available in CAL 133 or ESD
- Standard seat height approx. range for model pictured (floor to top of seat): 19 1/2" to 23" (with 100mm cylinder)







Model 22305



22305 Task	Arm	В	C (com)	D	E (col)	F	G
VERTE TASK Multi-function 05-control, hylon base	23A	2202	2222	2243	2298	2366	2468

SIZE OPTIONS SEAT

LIST PRICE

black ribs, w/seat slider


V10 Small 20 1/4 w x 18 1/2 d N/C

V30 Large

22 1/2 w x 21 d N/C

STANDARD FEATURES

- 300 lb. weight limit
- 27" nylon base
- 55 mm dual hooded black casters
- Fully upholstered outback in black air knit
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 17 3/4" to 21 1/4" (with 100mm cylinder)





OPTIONS No additional options available for this chair

pneumatic lift & tilt lock dual action

pneumatic lift & tilt lock dual action

lever and reverse C-arm

lever and reverse C-arm





380 Conference	Arm	В	C (con	D	E (col)	F	G	L
MEDIUM BACK Mid-pivot swivel tilt 15-control with	09A	829	852	885	930	991	1088	1278



STANDARD FEATURES

- 300 lb. weight limit
- 27" nylon base
- 55 mm dual hooded black casters
- Fully upholstered outback in black air knit
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 17 3/4" to 21 1/4" (with 100mm cylinder)





OPTIONS No additional options available for this chair

Model 390




390 Conference	Arm	В	C (con	D	E (col)	F	G	L
MANAGERS HIGH BACK Mid-pivot swivel tilt 15-control with	09A	860	883	916	961	1022	1119	1309



STANDARD FEATURES

- 300 lb. weight limit
- 27" nylon base
- 55 mm dual hooded black casters
- Fully upholstered outback in black air
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 17 3/4" to 21 1/4" (with 100mm cylinder)





Model 39211

OPTIONS No additional options available for this chair





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad 199



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad 128



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T" arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

3925 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Ratchet back, multi-function 05-control w/seat slider	Armless	816	839	872	917	978	1075	1265
3928 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Batchet back multi-function 08-control w/	Armless	912	935	968	1013	1074	1171	1361

MEDIUM BACK	Armless	912	935
Ratchet back, multi-function 08-control w/			
seat slider, knee tilt			

39214 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK Synchro tilt control w/built-in seat slider	Armless	816	839	872	917	978	1075	1265

NS392 Task	Arm	В	C (com)	D	E (col)	F	G	L
MEDIUM BACK	Armless	791	814	847	892	953	1050	1240

Swivel tilt 07-control and ratchet back w/seat slider

and ratchet back

STANDARD FEATURES

- 300 lb. weight limit
- 27" nylon base
- 55 mm dual hooded black casters
- Fully upholstered outback in black air
- Meets CAL 117
- Standard seat height approx. range for model pictured (floor to top of seat): 17 3/4" to 21 1/4" (with 100mm cylinder)





Model 39311

OPTIONS No additional options available for this chair

w/seat slider





01A Fold away arm with vertical and horizontal adjustment and standard 10 pad 199



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad 128



23A Forward angled vertically and horizontally adjustable arm with 10 pad 125



25A Vertical and horizontal adjustable "T' arm with standard 10 pad 110



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed.

3935 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, multi-function 05-control w/seat slider 3938 Task	Armless	849	872	905	950	1011	1108	1298
3938 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back multi-function 08-control w/	Armless	945	968	1001	1046	1107	1204	1394

0700 lask			(com)		(col)			
MANAGERS HIGH BACK Ratchet back, multi-function 08-control w/	Armless	945	968	1001	1046	1107	1204	1394
seat slider, knee tilt								

39314 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK	Armless	849	872	905	950	1011	1108	1298
Synchro tilt control w/built-in seat slider and ratchet back								

NS393 Task	Arm	В	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Swivel tilt 07-control and ratchet back	Armless	824	847	880	925	986	1083	1273

FLAME RETARDANT PROGRAM (CAL 133)

All seating manufactured by RFM is made to comply with California Technical Bulletin 117 and BIFMA F-1-1978 unless a customer's own material (COM) is used, in which case RFM cannot guarantee the flame retardant properties of the fabric.

RFM seating products can be ordered to meet California Technical Bulletin 133 (CAL 133). CAL 133 is a full composite burn test which was designed for furniture which is used in public and private buildings. This test does not specify how to construct any furniture; however it does tell how well each piece of furniture will perform under a controlled burn. The solution to this problem is to use a fire barrier between the fabric and the foam. This barrier will help extinguish the fire by smothering the flame.

For additional information regarding CAL 133 fully upholstered seating protection, please contact the California Bureau of Home Furnishing and Thermal Insulation.

For pricing and ordering information see the options page on pages 85-86.

RFM will not accept any C.O.M. orders which have to pass CAL 133.

For additional information regarding CAL 133 please contact RFM Customer Service at 800.447.5542 or sales@rfmseating.com

ELECTROSTATIC DISCHARGE OPTION

The RFM ESD Chair option is available on all task chairs (excluding Echelon, Ray, Rainier, Tech and all mesh seating) as an additional option. This option is used on chairs that are in a static sensitive environment.

THE ESD OPTION PACKAGE INCLUDES THE FOLLOWING:

- 1. ESD conductive fabric with superior surface conductivity with easy to clean and extremely high abrasion resistance ratings - standard.
- 2. Chrome lift cylinders, five-legged base, and contoured back bars provide all chrome metal parts for highly functional static control and durable easy to clean surface - standard.
- 3. ESD heavy duty casters either for carpet or hard floor production environments - standard.
- 4. ESD drag chain for added protection and identification - standard.

ADDITIONAL ESD ACCESSORIES

- ESD adjustable arm rests
- ESD chrome plated footrests are available with the counter height stool options

STATIC DISCHARGE TESTING DATA

Surface resistivity	Resistance measured at 100v
left side of seat to r.h. side	2.4 (10 ⁸) ohms/square
left side of back to r.h. side	
Testing results shown above conducted date 8-1-97	at $50 \pm 5\%$ rh and $73 \pm 5^{\circ}$ f test

Resistance to groundable point Resistance	measured at	100v
surface of seat to ground	2.0 (108)	ohms
surface of back to ground	2.0 (108)	ohms
rear surface back to ground	2.0 (108)	ohms
arm l.h. & r.h. average to ground	2.0 (108)	ohms
foot rest (where required) to ground	2.0 (108)	ohms
base (where required) to ground	2.0 (106)	ohms

Electrodes used in testing confirm to ANSI/EOS/ESD - S41 - 1990. Test results certified to meet procedures and requirements of ESD DS 12.1 -1995. Detail test reports available upon request

RFM PRODUCT WARRANTY

Effective October 1, 2009

RFM Seating products are engineered to provide many years of use under normal conditions when cared for properly. Normal conditions are defined as an office environment during a single shift consisting of 8-hour days, 5 days a week for a user weighing 300 pounds or less. Products manufactured by RFM carry the following limited lifetime warranties to the original purchaser:

All ergonomic, task & conference chairs:

Lifetime warranty on cylinder, 12 years on all other parts.

All Multi-Shift and Nurse's Station:

7 year warranty on all parts.

All Big and Tall chairs:

Lifetime warranty on cylinder, 7 years on all other parts.

All guest and lobby chairs:

Lifetime warranty on all steel and wood frames, 5 years on all other components.

Essentials chairs:

5 years on all components.

THE ABOVE WARRANTIES EXCLUDE THE FOLLOWING:

- · SEAT AND BACK FABRIC IS COVERED FOR FIVE YEARS AND NOT WARRANTEED FOR MULTI-SHIFT **OPERATIONS**
- · Any product, which has been repaired or altered by the customer.
- · Any variation in color, grain, or texture of wood, leather, or fabric.
- · Any incidental damage resulting from the neglect or inability to use RFM products properly with regular maintenance.
- · Any normal wear and tear. The warranty is a protection from defects only.
- · Warranties are NOT transferable.


To make claim under this warranty, the claim must be processed through the original dealer of purchase. The dealer will inspect for warranty qualifications and must obtain a return material authorization (RMA) number from RFM. RFM shall provide, at our option, parts, replacements or monetary adjustments. Labor is not covered under warranty. The warranties indicated above are the only warranties made by RFM and no other warranties expressed or implied

are given on products manufactured by RFM.

The return of products will NOT be accepted without an RMA number issued by RFM Customer Service. All returned products must be protected to prevent damage in transit and shipped pre-paid. The warranty form can be found on page 75.

WARRANTY REQUEST FORM

Fax to RFM Customer Service 800.734.6377 or email to customerservice@rfmseating.com



WHERE IS THE PROBLEM?

Please mark on the above diagrams wh	ere the problem(s) is.
Describe the problem for us	
WE NEED COME INFO. (No. 1941)	
located underneath the seat.)	answers to these questions on your chair's seat tag
P.O.#	SO#
Date	Model #
Fabric	
WE NEED A LITTLE MORE INFO:	
Company	
Name	Phone
SHIP TO: Address	

THANK YOU for taking the time to let us know you have an issue with one of our chairs. We will take care of this for you immediately. We hope you have a great day!

State _____Zip Code_

C.O.M. ORDER FORM

All RFM seating is available in customer's own material (C.O.M.). Each order must be accompanied by a copy of this form. Please provide a sample of the fabric with this form. Additional charges and instructions are listed on Customer's Own Material instruction page.

Mail purchase order with a copy of this form to:

RFM

Customer Service 619 S.W. Wood St. Hillsboro, Oregon 97123 Phone (800) 447-5542 Fax (800) 734-6377

DEALER NAME			
ADDRESS			
CITY	STATE	ZIP	
TELEPHONE			
CHAIR P.O. #			

Place fabric will be shipped from:

CO. NAME		
ADDRESS		
CITY	_ STATE	_ZIP
TOTAL YARDAGE		

	QUANTITY	CHAIR STYLE #	FABRIC NAME AND #
1			
2			
3			
4			

Attach fabric sample here in direction it should appear on chair.

Shipping instructions

For all C.O.M. fabric call for ship to address


RFM RFM

Customer Service Customer Service 619 S.W. Wood St. 1213 136th St. Hillsboro, OR 97123 Lansing, KS 66043

C.O.M. must be shipped PREPAID and must show the following:

- Customer's name,
- Customer's purchase order number,
- Fabric supplier's name,
- Fabric name & number.

Any missing information will cause shipment delays. RFM reserves the right to requote any C.O.M. fabric. Check for fabric direction:



Special instructions

C.O.M. FABRIC UPCHARGE INSTRUCTIONS

Please call customer service for Customer's Own Material yardage requirements

MATCHING UPCHARGE

There will be an upcharge for C.O.M. fabric requiring centering a pattern, matching a stripe or plaid.

LIST PRICE

Metal Side/Guest Chairs. Executive Swivel & Task Chair

\$85.00

The C.O.M. order form must be used on all orders — no exceptions

C.O.M. material should be shipped PREPAID and marked with the following information:

- ☐ Dealer name and purchase order number
- ☐ Fabric pattern name and color

- ☐ Supplier's name, fabric name and color
- ☐ A sample of the fabric attached to the order
- ☐ The style numbers of the item in which the fabric is to be applied
- ☐ Special application instructions

MATCHING AND CENTERING FABRICS

For certain chair designs, because of the curvature or upholstery techniques, C.O.M. fabrics or vinyl can only be applied by blind-tacking or special handling. Striped and patterned C.O.M. fabrics if requiring matching or centering will require adjustments in yardage. (Special quotations upon request.)

FABRIC OPTIONS

Not all fabrics shown. Call Customer Service at (800) 447-5542 for more information.

MAYER Fabric	Fabric	Grade	Fabric	Grade	Fabric	Grade
Fabric Grade	Hoopla					E
AbacusF	Impulse In The Groove					D
Acanthus D	In The Loop			olock)E	•	
Alcazar E	Insignia			E		E
Amulot	Jubilee					
Amulot (Durablock)E	Locomotion		Zanzibar			E
Arcade	Madras		MAYER Env	vironment		E
Artistry C	Marrakesh					ed
Ascension F	Marquise					
Axis	Metro			ı G		E
Bar None	Mosaic			E		E
BebopF	Mosaic (Durab		•	D		E
BellaE	Mum					E
BijouD	Mum (Durablo			G		D
Brio	New Dimensio			D		D
BroadwayD	Nostalgia			G	, -	D
Bungalow F	Nylon-Stat Esd				Micro Dot .	E
CanvasF	, Orbit					E
Cavaler C	Panache	G		D	Pinehurst	E
Celtic	Pastime	E		D E	Prado	E
Classic Velvet E	Petit Point	F	•		Punch	E
Cribbage	Pinnacle	D		D	Silk Screen	E
Cross Check B	Plaza	E		В	Silverweave	E
Cuddle Up F	Posh	D		Е	Skate	F
Dapper	Primo	E			Sketch	E
DaydreamE	Pulse	F			Slick	F
Debonair	Quattro	B		D	Special Blad	ck-Madrid . D
Destiny C	Rapport	D			Special Blad	ck-Oxen D
Destiny (Durablock) E	Revival	D		E	Special Blad	ck-Sierra D
DomainF	Ritz	D		E	Special Blad	ck-Wallaby D
Duraweave 10 B	Round 'n Roun	dF	-	D	Spirograph	
Erode G	Sequel	C			Tiles	E
FacetsF	Shantung			D	•	E
Fantasy	Smart Suede .	E			Tributary	E
Figure EightC	Sojourn		•	F		E
Flourish	Sojourn (Durak			E		E
Flower Power D	Solid Ground.			F		sd F
Focal Point D	Source		Reiki	F		F
Forte B Genesis C	Source (Durab		Replay	F	Willow	D
	Spotlight			G		
Genesis (Durablock) D Glee D	Stanza		Twister	E	MAYER Luc	cia Cassa
Gusto	Sunset Stripe .		Venue	E	Connections	s Fr E
Haberdash D	Synapse				Deco Motio	n
Habitat	Tea Leaves		MAYER vin	yl	Enigma	G
Holiday	Tendril			D		E
nonday	Tendril (Durabl	ock)E		D	Illusion	G

FABRIC OPTIONS

Grade

Not all fabrics shown. Call Customer Service at (800) 447-5542 for more information.

Jumpin'										ae
Jumpin	Jo	ac	k۶	; .						. G
Luxor .										
Natural	P	rc	g	re	S	si	0	n		. G
New A	ng	le	s							. G
Oracle										
Ottoma	n.				•		•			F
Paradig	ım									F
Pavilion										G
Sakura										
Underc	uri	e	nt	•	•	•	•			. G
MAYER	F	a	u	<	L	ea	at	h	er	
Antique	١									Е
Caresso										
Caresso										
Caymaı	n .									. G
Cork										
Counter	•									
Durang	0									. D
Emυ										. D
Florentii										
Glimme										
Hombre										F
Jekyl &	Н	vc	le							F
-										
Kobe .										
Komodo	Э.									E
Laredo										. G
Makore										. G
							٠	٠	•	. •
Maverio	ck.									. D
Maverio	ck.									. D
Maverio Melody	ck									. D . G
Maverio Melody Milano	ck									. D . G E
Maverio Melody Milano Outbac	ck k									. D . G E . D
Maverio Melody Milano Outbac	ck k									. D . G E
Maverio Melody Milano Outbac Patent .	ck k									. D . G E . D
Maverio Melody Milano Outbac Patent . Phoenix	k k									. D . G E . D . G
Maverio Melody Milano Outbac Patent . Phoenix Quark.	k k									. D . E . D . G . E
Maverion Melody Milano Outbac Patent Phoenix Quark Shimme	ck k k									. D . G E . D . G
Maverion Melody Milano Outbac Patent Phoenix Quark Shimme	ck k k									. D . E . D . E . G
Maverion Melody Milano Outbac Patent Phoenix Quark Shimme	k k r									. D . E . D . E . G . G
Maverion Melody Milano Outbac Patent Phoenix Quark Shimme Ultrahid	k k r le									. D . E . D . E . G E G E
Maverio Melody Milano Outbac Patent . Phoenix Quark. Shimme Ultrahid	k k r le									. D . E . D . E . G E G E
Maverio Melody Milano Outbac Patent . Phoenix Quark . Shimme Ultrahid Verona	k k ir le									. D . E . D . E . G E E E E E E
Maverion Melody Milano Outbac Patent . Phoenix Quark. Shimme Ultrahid Verona Virtually	k k r le									. D . G E G G E F
Maverio Melody Milano Outbac Patent . Phoenix Quark. Shimme Ultrahid Verona Virtually MOME	k k le									. D . G . E . G . G E F
Maverio Melody Milano Outbac Patent . Phoenix Quark . Shimme Ultrahid Verona Virtually MOME Acacia Ace	k k k k k k k k k k k k k k k k k k k	· · · · · · · · · · · · · · · · · · ·								. D G E
Maverice Melody Milano Outbace Patent . Phoenix Quark. Shimme Ultrahid Verona Virtually MOME Acacia Ace Amenity	k k k k k k k k k k k k k k k k k k k	· · · · · · · · · · · · · · · · · · ·								D G . E . D G . E . G G . E F
Maverice Melody Milano Outbace Patent . Phoenix Quark. Shimme Ultrahid Verona Virtually MOME Acacia Ace Amenity	k k k k k k k k k k k k k k k k k k k	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·							. D G E
Maverice Melody Milano Outbace Patent . Phoenix Quark. Shimme Ultrahid Verona Virtually MOME Acacia Ace Amenity Axis	k k le N1									D G . E . D G . E . G G . E F
Maverice Melody Milano Outbace Patent . Phoenix Quark. Shimme Ultrahid Verona Virtually MOME Acacia Ace Amenity	k k ir le									D G

Fabric

Custoi	Υ	16	er	. ,	S	e	r١	/i	C	е	C	tr	(8
Fabrio									G	ì	'C	IC	le
Boom .													D
Candio	ł												.E
Cieneg	JC	c											G
Cinch .													С
Contex	t												С
Core													В
Crew .													.F
Dayspe	el												.F
Delve .													.F
Drift													G
Duo													.F
Elemen													.F
Epic													С
Essenti													.F
Fuse													В
Gauge													С
Gesture													.F
Gusto .													D
Hue													С
Idiom .													G
Impact													D
Insight.													В
Intermi													.E
Interse													D.
Interva													В
Jargon											•		С
Kindle.													.F
Knack.													С
Matter							•						.F
Medley													
Moda .													
		•	•	•	•	•	•	•	•	•	•	•	
		•	•	•	•	•	•	•	•	•	•	•	G
Origin Perk			•	•	•	•	•	•	•	•	•	•	В
Propen					•	•	•	•	•	•	•	•	B C
				•	•		•	•	•	•	•	•	
Quirk .		•		•	•	•	•	•	•	•	•	•	D
Ratio .		•	•	•	•	•	•	•	•	•	•	•	В
Realm.		•	•	•	•	•	•	•	•	•	•	•	D
Savant			•	•	•	•	•	•	•	•	•	•	D
Sector.			•	•	٠	•	•	•	•	•	•	•	С
Sense .			•	•	•	•	•	•	•	•	•	•	.F
Solace		•	•	•	•	•	•	•	•	•	•	•	D
Solo		•	•	•	•	•	•	•	•	•	•	•	Ε.
Solo 2			•	•	•	•	•	•	•	•	•	•	Ε.
Stance		•											D
Tangen									•				В
Tate				•	•								В

) 447-5542 for more i	r
Fabric Grade	
$Vario\ \dots\dots\dots\ D$	
$Veer \ldotsF$	
VenueD	
Vox	
Whim	
X-Factor	
MOMENTUM Vinyl	
AgoraE	
Beeline D	
Bravo	
Bravo II	
Canter D	
$Cashmere \ldots \ldots D$	
$Echo. \ldots F$	
EOU	
Foray	
lcon	
Max	
Paragon	
Periphery	
Rein	
Sublime	
Tact	
TetraE	
MOMENTUM Crypton	
Ardour	
Huntington F	
Idyll	
InfusionF	
Isla	
Jest	
Melisa	
Oath	
ReduxE	
Scribe	
Soma	


 Sway
 ...


 Telegram
 ...


 Viva
 ...


QUICKSHIP Fabric
Cross Check
Foundation
Mainframe
Moguls
One Two Three
Wiggle Basil


CONTROL OPTIONS























Tension Knob Turn clockwise to increase tension, turn counter-clockwise to decrease tension.

Seat Slider While seated, pull lever, push seat to desired depth and release lever to lock. Locks in 5 positions over 2 ½".

Rest Position Adjustment Loosen hand wheel (do not remove), and slide back to desired position, then re-tighten hand wheel.

Back Angle Adjustment While seated, pull paddle up, when desired angle found push paddle down to lock. Back Free floats in the paddle up position.

Pneumatic Height **Adjustment** To lower, lift paddle while seated. To raise, lift paddle with your weight off seat.

G Forward Tilt Lean back in chair and roll or pull lever forward for forward tilt, push or roll lever backward for straight position during rocking. Attention: lever can only be moved when in a rear rocking position.

Back Height Adjustment Turn knob counterclockwise to loosen, lift or lower chair back to desired position and re-tighten. Critical lumbar curve positioning.

CONTROL OPTIONS

Infinite Seat Angle Adjust with 6 Degree Forward Tilt

To change seat angle, pull paddle up while seated, push paddle down to lock when desired angle is achieved. Seat can rock.

Infinite Seat Angle & Back Angle Adjustment

To change seat and back angle, pull paddle up while seated, push paddle down to lock in desired locations, seat and back free float/rock.

Infinite Position

Tilt Lock

To lock chair in position, push paddle down. To allow free rocking movement, pull paddle up.

Ratchet Back Height

Adjustment

Simply lift back to desired position and back locks automatically. To release and reset back position, lift back completely to bottom stop and then move up to the new position.


Pneumatic Height Adjustment/Tilt Rock Lock


Adjust to raise or lower seat (See F). The lever pushes in towards control to lock in the neutral position. Pull lever out to rock free.


Infinite Tilt/ Lock Screw


Turn screw paddle to adjust seat tilt. Screw paddle system eliminates tilt slippage.












SEAT HEIGHT CHART

In order to determine the height of a seat, you need to do the following calculation: seat thickness + the control + the cylinder + the base for your chosen chair model.



EXAMPLE: TECH 1400 (HIGH) 14314 (LOW)

CASTOR HEIGHT	CYLINDER & BASE HEIGHT	CONTROL THICKNESS	SLIDER THICKNESS	SEAT THICKNESS	SEAT HEIGHT
2.687"	11.937"	2.562"	1.187"	3.75"	22.125"
	8.75"				18.937"

CASTOR HEIGHT

OPTION # / DESCRIPTION	HEIGHTS
55mm standard on base12, 13, & 18	2.5"
30C/hard floor	2.5"
911C/70mm heavy-duty	3.125"
911-30C/70mm hard floor	3.125"
20C/50mm hard floor reverse braking	2.375"
21C/50mm braking	2.312"
50mm ESD	2.312"
50mm hardfloor braking ESD	2.312"
50mm hardfloor ESD	2.312"
50mm locking	2.375"
30-31C/50mm hardfloor braking	2.375"
60mm chrome	2.5"
60mm standard on base16, 17, & 22	2.687"
30C/60mm hardfloor on base16, 17 & 22	2.687"
32C/glide	2.312"

CONTROL

OPTION # / DESCRIPTION	HEIGHTS
01 CONT	0.937"
03 CONT	2.937"
04 CONT	2.437"
05/36 CONT	2.562"
06 CONT	2.437"
07 CONT	2.375"
08 CONT	3.625"
11 CONT	2.5"
14 CONT	3.187"
15 CONT	2.062"
20 CONT	3.687"
22 CONT	0.812"
33 CONT	3″
80 CONT	3.625"
51 CONT	2.562"
Slider	1.187"

CYLINDER & BASE

OPTION # / DESCRIPTION	HEIGHTS	65MM	70MM	100MM	1101	140MM	175MM	200MM	270MM
27B	H	9.562"	10.75"	12.312″	10.062"	15.875"	17.875"	22.312″	27.562"
Nylon reinforced		6.812"	8.25"	8.812″	6.875"	10.75"	12.125"	15.25″	17.687"
Standard On	H	10"	11"	12.562"	N/A	16.125"	18.187"	22.687"	27.812"
Medium Back		7.25"	8.5"	9.062"	N/A	11"	12.437"	15.625"	17.937"
Standard On	H	9.625"	11.125"	12.687"	N/A	16.25"	18.25″	22.812"	28"
Managers High Back		6.875"	8.625"	9.187"	N/A	11.125"	12.5″	15.75"	18.125"
15B	H	10"	11.062"	12.5″	N/A	16.125"	18.125"	22.687"	27.875"
Polished aluminum	L	7.25"	8.562"	9″	N/A	11"	12.375"	15.625"	18"
16B	H	N/A	N/A	15.625"	N/A	19.25"	21.25"	25.812"	30.875"
Footring base	L	N/A	N/A	12.125"	N/A	14.125"	15.5"	18.75"	21"
Standard On	H	11.437"	12.375"	14"	11.937"	17.625"	19.625"	24.062"	29.125"
Echelon and Tech		8.687"	9.875"	10.5"	8.75"	12.5"	13.875"	17"	19.25"
18B	H	N/A	N/A	11.312″	N/A	14.812"	16.812"	21.312"	26.375"
Low profile		N/A	N/A	7.812″	N/A	9.687"	11.062"	14.25"	16.5"
19B	H	13.5"	14.5″	16.062"	14"	19.562"	21.562"	26.062"	31.187"
Jury Base		10.75"	12″	12.562"	10.812"	14.437"	15.812"	19"	21.312"
28B	H	10.25"	11.125"	12.625"	10.75"	16.25"	18.25"	22.687"	27.875"
Aluminum reinforced	L	7.5"	8.625"	9.125"	7.562"	11.125"	12.5"	15.625"	18"
Standard On	H	10.25"	11.125"	12.625"	N/A	16.25"	18.25″	22.687"	27.875"
Verte 22011		7.5"	8.625"	9.125"	N/A	11.125"	12.5″	15.625"	18"
22B	H	11.937"	13″	14.625"	12.437"	18.125″	20″	24.687"	29.625"
Polished high hub		9.187"	10.5″	11.125"	9.25"	13″	14.25″	17.625"	19.75"


SEAT THICKNESS

OPTION #/ DESCRIPTION	HEIGHTS
Echelon - 1900	3.5"
Carmel - 8200	3.75"
Internet - 4800	3.75"
Protask - 5800	3.75"
Ray- 4200	3.75"
Multi-Shift - 8900	4"
1100, 1200 & 1300	4.5"
Tech - 1400	3.75"
1500 & 1600	4.5"
Rainier - 3600	4"

OPTION # / DESCRIPTION	HEIGHTS
Tuxedo - 4500	4"
Verte - 2200	4"
Wink - 3900	4"
Metro - 2000	4"
Sierra - 8500	4.25"
Internet - BT	4"
Protask - BT	4"
Manhattan-6900	4"
Meshseat166/167	4"

HOW TO ORDER

Once you've selected the chair you want to purchase, it's time to place your order. Our ordering system is based on a sequence of numbers that communicates to us the exact chair you would like. Use the outline shown below to assist you through this process. For additional assistance call us at 800-447-5542



Use this sequence for designating your choices when ordering.



HOW TO CONTACT US

At RFM we take pride in our products and our customers who choose them, therefore we are here to assist you in any way we can.

ON THE WEB

www.rfmseating.com

EMAIL

customerservice@rfmseating.com

CUSTOMER SERVICE PHONE

800.447.5542

7am – 4:30pm (Pacific Standard Time)

CUSTOMER SERVICE FAX

800.734.6377

MAILING ADDRESS

619 SW Wood St., Hillsboro, OR 97123



MAS tests and certifies our chairs and components as low-VOC emitting furniture

SPECIALTY OPTIONS

Logo Options

63 Custom Logo Embroidery only at RFM

Want to make a memorable statement about your organization? RFM offers customized logo embroidery—a unique way to reinforce the branding of your company. The RFM Custom embroidered logo program is available on select models of our chairs including the Tuxedo 4500 series.

All Custom Logo orders require the following information:

- Digital image emailed to: mreischman@ rfmseating.com with customer PO number.
- Accepted file formats are jpeg, eps, tiff, psd, embroidery file formats.
- Logo size.
- Thread color(s) to be embroidered (PMS color is preferred).

• Chair fabric name and color.

STANDARD FEATURES Logo Size: 3.5" x 3.5"

Stitch Count: 5000 Colors: 3 or less



LEAD-TIME

Custom logo chair orders require additional lead-time to produce. Questions? – For all orders, please call Marlene Reischman at 800 447-5542 x 18 for pricing and delivery information.

SPECIALTY OPTIONS

Coccyx cut-out seat options



35TB Tail-bone cut-out (not available on all seats) 130

Flame retardant option



CAL 133 Fire guard for seat and back on chair CAL 133 Ray & Rainier with upholstered outback in Hue black and fire guard seat and back CAL 133 Echelon with Fireguard seat & bottom cloth with black aluminum base

Electrostatic Discharge option



ESD-Chrome ESD Chrome package (Use Grade F pricing of chair plus this option) 12ESD Vertically and horizontally adjustable

ESD approved T arm with 22P upholstered ESD vinyl pads

Foot rings

37FR Foot ring with heavy duty sleeve

16FR Foot ring base w/60mm no hood caster (only available with 175mm and 200mm cylinder)



Beading

58 Beading on Protask Series back in Vinyl

Back bars

41BB Shorter Back Bar (Specify Length) 14BB Longer Back Bar (4" longer)

Spacer options

29SP Arm width reduction (1" total) Not available on 37A 98SP Arm height reduction (1" total) 99SP Arm height riser (1" total)

Headrest options

35HR Articulating headrest

Custom seat options


Cutting down seat width or depth 71 71 Arm relocation

STANDARD OPTIONS

Please call Customer Service at 800-447-5542 for off the chair pricing.

Straight arm options **01A** Fold away arm with vertical and horizontal adjustment and standard 10 pad 04A Swing arm with vertical and horizontal adjustment and standard 10 pad USA 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad 12A Vertical and horizontal adjustable "T" arm with knob and standard 10 pad 8A 360 degree pivot, vertically and horizontally adjustable arm with standard 10 pad 23A Forward angled vertically and horizontally adjustable arm with 10 pad **24A** Chrome forward angled vertically and horizontally adjustable arm with 10 pad **25A** Vertical and horizontal adjustable "T" arm with standard 10 pad 37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. Arm pad options & accessories Loop arm options

Bases



Casters

		20C Hard floor reverse braking casters (brake when seated)
		21C Braking casters (brake when seat is empty)
		30C Hard floor casters
		31C Hard floor braking casters
		32C Glides
		911C 70 mm Heavy Duty Casters
•	ï	

Cylinders For specific measurements, please see page 83.

•/		•		
P	65mm			N/0
	70mm			N/C
	100mm			N/C
	140mm			N/C
	175mm			4
	200mm			4
	270mm			4

Seat foam options Not available on the 1900 seat.

25F R Foam Seat Option by RFM (memory foam) 75

10P Standard Fuse pad	N
13P Flame retardant pad (passes CAL 133 standards	s) 4
22P 3/4" low profile soft pad	9
44P 2" high soft pad	7
45P 2" high soft flame retardant kidney shaped pad with beading (passes CAL 133 standards)	•
77P Soft Gel Pad	į
78P Extra soft eclipse pad	N
80P Diamond textured, durable soft-touch urethane pad	N
	13P Flame retardant pad (passes CAL 133 standards 22P 3/4" low profile soft pad 44P 2" high soft pad 45P 2" high soft flame retardant kidney shaped pad with beading (passes CAL 133 standards) 77P Soft Gel Pad 78P Extra soft eclipse pad 80P Diamond textured, durable

03A Loop arm with vertical and horizontal

09A Reverse C (non-adjustable)

20A Polished aluminum arms

(not available on all models)

85

26F Dual density foam

88F Flat seat foam

Lumbar options

	60L Air lumbar
	61L Extra firm lumbar
	64L Thoracic Ridge

Effective Date: June 1, 2014